

# Speriby North Bull Sale

**57 APR ANGUS BULLS**



**ON PROPERTY &**

 **AuctionsPlus**

**Friday 24th May 2024,  
1pm**

**Welcome:**

The Cox family and the Speriby North team welcomes you to our 26th annual on property sale of Angus bulls.

The sale bulls have either been tested for Arthrogrposis Multiplex (AM), Contractural Arachnodactyly (CA), Neuropathic Hycrocephalus (NH), Developmental Duplication (DD) or are pedigree free. All bulls are suitable for breeding over straight Angus herds. They have tested free of Pestivirus and have received their annual 7 in 1 vaccine booster, two doses of Vibrovax (note this may leave a lump on the bull), Pestigard and 3 day sickness vaccines.

All sale bulls have been tested with the high density genomic product, Angus GS™. This product has been utilised to enhance the accuracy of the TransTasman Angus Cattle Evaluation EBVs, allowing purchasers the opportunity to fine tune their breeding programs and genetic selections.

The auction will be a video auction as well as being interfaced with AuctionsPlus. The sale bulls can be viewed online prior to the auction at speribynorth.com.au or colinsay.com.au by following the links to the Speriby North Bull Sale. The bulls will be penned from 10am sale day. Inspections prior to sale day are welcomed and can be arranged by appointment with selling agents, Colin Say & Co. Pty. Ltd.

There are 15 reference sires presented in our sale. We hope you find suitable bulls for your herd whose progeny will meet tomorrow's market requirements.

*Arthur Cox*

---

**Fertility:**

The reproductive examination of sale bulls was completed by Dr Tamara Birrer BVSc (Birrer Veterinary Services, BULLCHECK No. 4377) on the 11th and 12th March 2024. This included physical examination of each bull; measurement of scrotal circumference and examination of internal and external reproductive organs. Semen was collected and examined crush site for density, swirl and motility. Morphological examination was performed by Dr Viv Perry Ph D, Queensland Sperm Morphology Laboratory, Goondiwindi in March 2024. Following the standards of the Australian Cattle Veterinarians, it is of the opinion of Dr Birrer that all bulls presented in this sale have adequate reproductive organs and semen quality, thus indicating a high confidence of the bulls' fertility.

**Guarantee:**

In the unlikely event of infertility, provided it is not caused by injury, stress or disease contracted after our sale, we will issue you with a credit equal to the purchase price minus the salvage value to be used at the next Speriby North Bull Sale. A Veterinary Certificate shall be produced by the purchaser within twelve months of the purchase date.

**Payment:**

The sale is GST exclusive. Accounts will be forwarded by selling agents Colin Say & Co. Pty. Ltd and settled within seven days. A 2% rebate will be available to outside agents introducing approved buyers in writing to the selling agents 24 hours prior to the sale, and settling on their behalf within 7 days.

**Refreshments:**

Complimentary morning tea, lunch and afternoon tea will be available to attendees on sale day.

**Insurance:**

Insurance will be available on sale day.

**Indemnity:**

All persons attending the sale agree to indemnify the vendor from and against any liability, loss, damage, expense or claim which the vendor may incur, including to a third party, during or after the sale in all respects. Any person attending the sale does so at his/her own risk.

**PLEASE BRING THIS CATALOGUE TO THE SALE**

# Understanding the TransTasman Angus Cattle Evaluation (TACE)

## What is the TransTasman Angus Cattle Evaluation?

The TransTasman Angus Cattle Evaluation is the genetic evaluation program adopted by Angus Australia for Angus and Angus influenced beef cattle. The TransTasman Angus Cattle Evaluation uses Best Linear Unbiased Prediction (BLUP) technology to produce Estimated Breeding Values (EBVs) of recorded cattle for a range of important production traits (e.g. weight, carcase, fertility).

The TransTasman Angus Cattle Evaluation is an international genetic evaluation and includes pedigree, performance and genomic information from the Angus Australia and Angus New Zealand databases, along with selected information from the American and Canadian Angus Associations.

The TransTasman Angus Cattle Evaluation utilises a range of genetic evaluation software, including the internationally recognised BLUPF90 family of programs, and BREEDPLAN® beef genetic evaluation analytical software, as developed by the Animal Genetics and Breeding Unit (AGBU), a joint institute of NSW Agriculture and the University of New England, and Meat and Livestock Australia Limited (MLA).

## What is an EBV?

An animal's breeding value can be defined as its genetic merit for each trait. While it is not possible to determine an animal's true breeding value, it is possible to estimate it. These estimates of an animal's true breeding value are called EBVs (Estimated Breeding Values).

EBVs are expressed as the difference between an individual animal's genetics and a historical genetic level (i.e. group of animals) within the TACE genetic evaluation, and are reported in the units in which the measurements are taken.

## Using EBVs to Compare the Genetics of Two Animals

TACE EBVs can be used to estimate the expected difference in the genetics of two animals, with the expected difference equating to half the difference in the EBVs of the animals, all other things being equal (e.g. they are joined to the same animal/s).

For example, a bull with a 200 Day Growth EBV of +60 would be expected to produce progeny that are, on average, 10 kg heavier at 200 days of age than a bull with a 200 Day Growth EBV of +40 kg (i.e. 20

kg difference between the sire's EBVs, then halved as the sire only contributes half the genetics).

Or similarly, a bull with an IMF EBV of +3.0 would be expected to produce progeny with on average, 1% more intramuscular fat in a 400 kg carcase than a bull with a IMF EBV of +1.0 (i.e. 2% difference between the sire's EBVs, then halved as the sire only contributes half the genetics).

## Using EBVs to Benchmark an Animal's Genetics with the Breed

EBVs can also be used to benchmark an animal's genetics relative to the genetics of other Angus or Angus infused animals recorded with Angus Australia.

To benchmark an animal's genetics relative to other Angus animals, an animal's EBV can be compared to the EBV reference tables, which provide:

- the breed average EBV
- the percentile bands table

The current breed average EBV is listed on the bottom of each page in this publication, while the current EBV reference tables are included at the end of these introductory notes.

For easy reference, the percentile band in which an animal's EBV ranks is also published in association with the EBV.

## Considering Accuracy

An accuracy value is published with each EBV, and is usually displayed as a percentage value immediately below the EBV.

The accuracy value provides an indication of the reliability of the EBV in estimating the animal's genetics (or true breeding value), and is an indication of the amount of information that has been used in the calculation of the EBV.

EBVs with accuracy values below 50% should be considered as preliminary or of low accuracy, 50-74% as of medium accuracy, 75-90% of medium to high accuracy, and 90% or greater as high accuracy.

## Description of TACE EBVs

EBVs are calculated for a range of traits within TACE, covering calving ease, growth, fertility, maternal performance, carcase merit, feed efficiency and structural soundness. A description of each EBV included in this publication is provided on the following page.

## UNDERSTANDING ESTIMATED BREEDING VALUES (EBVS)

Calving Ease/Birth	<b>CEDir</b>	%	Genetic differences in the ability of a sire's calves to be born unassisted from 2 year old heifers.	Higher EBVs indicate fewer calving difficulties in 2 year old heifers.
	<b>CEDtrs</b>	%	Genetic differences in the ability of a sire's daughters to calve unassisted at 2 years of age.	Higher EBVs indicate fewer calving difficulties in 2 year old heifers.
	<b>GL</b>	days	Genetic differences between animals in the length of time from the date of conception to the birth of the calf.	Lower EBVs indicate shorter gestation length.
	<b>BW</b>	kg	Genetic differences between animals in calf weight at birth.	Lower EBVs indicate lighter birth weight.
Growth	<b>200 Day</b>	kg	Genetic differences between animals in live weight at 200 days of age due to genetics for growth.	Higher EBVs indicate heavier live weight.
	<b>400 Day</b>	kg	Genetic differences between animals in live weight at 400 days of age.	Higher EBVs indicate heavier live weight.
	<b>600 Day</b>	kg	Genetic differences between animals in live weight at 600 days of age.	Higher EBVs indicate heavier live weight.
	<b>MCW</b>	kg	Genetic differences between animals in live weight of cows at 5 years of age.	Higher EBVs indicate heavier mature weight.
	<b>Milk</b>	kg	Genetic differences between animals in live weight at 200 days of age due to the maternal contribution of its dam.	Higher EBVs indicate heavier live weight.
Fertility	<b>DtC</b>	days	Genetic differences between animals in the time from the start of the joining period (i.e. when the female is introduced to a bull) until subsequent calving.	Lower EBVs indicate shorter time to calving.
	<b>SS</b>	cm	Genetic differences between animals in scrotal circumference at 400 days of age.	Higher EBVs indicate larger scrotal circumference.
Carcase	<b>CWT</b>	kg	Genetic differences between animals in hot standard carcase weight at 750 days of age.	Higher EBVs indicate heavier carcase weight.
	<b>EMA</b>	cm <sup>2</sup>	Genetic differences between animals in eye muscle area at the 12/13th rib site in a 400 kg carcase.	Higher EBVs indicate larger eye muscle area.
	<b>Rib Fat</b>	mm	Genetic differences between animals in fat depth at the 12/13th rib site in a 400 kg carcase.	Higher EBVs indicate more fat.
	<b>P8 Fat</b>	mm	Genetic differences between animals in fat depth at the P8 rump site in a 400 kg carcase.	Higher EBVs indicate more fat.
	<b>RBV</b>	%	Genetic differences between animals in boned out saleable meat from a 400 kg carcase.	Higher EBVs indicate higher yield.
	<b>IMF</b>	%	Genetic differences between animals in intramuscular fat (marbling) at the 12/13th rib site in a 400 kg carcase.	Higher EBVs indicate more intramuscular fat.
Feed/Temp.	<b>NFI-F</b>	kg/day	Genetic differences between animals in feed intake at a standard weight and rate of weight gain when animals are in a feedlot finishing phase.	Lower EBVs indicate more feed efficiency.
	<b>Doc</b>	%	Genetic differences between animals in temperament.	Higher EBVs indicate better temperament.
Structure	<b>Claw Set</b>	score	Genetic differences in claw set structure (shape and evenness of claws).	Lower EBVs indicate a lower score.
	<b>Foot Angle</b>	score	Genetic differences in foot angle (strength of pastern, depth of heel).	Lower EBVs indicate a lower score.
	<b>Leg Angle</b>	score	Genetic differences in rear leg structure when viewed from the side (angle at front of the hock).	Lower EBVs indicate a lower score.
Selection Index	<b>\$A</b>	\$	Genetic differences between animals in net profitability per cow joined in a typical commercial self replacing herd using Angus bulls. This selection index is not specific to a particular market end-point, but identifies animals that will improve overall net profitability in the majority of commercial, self replacing, grass and grain finishing beef production systems.	Higher selection indexes indicate greater profitability.
	<b>\$A-L</b>	\$	Genetic differences between animals in net profitability per cow joined in a typical commercial self replacing herd using Angus bulls. This selection index is not specific to a particular market end-point, but identifies animals that will improve overall net profitability in the majority of commercial, self replacing, grass and grain finishing beef production systems.  The \$A-L index is similar to the \$A index but is modelled on a production system where feed is surplus to requirements for the majority of the year, or the cost of supplying additional feed when animal feed requirements increase is low.  While the \$A aims to maintain mature cow weight, the \$A-L does not aim to limit the increase in mature cow weight as there is minimal cost incurred if the feed maintenance requirements of the female breeding herd increase as a result of selection decisions.	Higher selection indexes indicate greater profitability.

# RECESSIVE GENETIC CONDITIONS

This is information for bull buyers about the recessive genetic conditions, Arthrogryposis Multiplex (AM), Hydrocephalus (NH), Contractural Arachnodactyly (CA) and Developmental Duplications (DD).

## Putting undesirable Genetic Recessive Conditions in perspective

All animals, including humans, carry single copies (alleles) of undesirable or “broken” genes. In single copy form, these undesirable alleles usually cause no harm to the individual.

But when animals carry 2 copies of certain undesirable or “broken” alleles it often results in bad consequences. Advances in genomics have facilitated the development of accurate diagnostic tests to enable the identification and management of numerous undesirable or “broken” genes.

Angus Australia is proactive in providing its members and their clients with relevant tools and information to assist them in the management of known undesirable genes and our members are leading the industry in their use of this technology.

## What are AM, NH, CA and DD?

AM, NH, CA and DD are all recessive conditions caused by “broken” alleles within the DNA of individual animals. When a calf inherits 2 copies of the AM or NH alleles their development is so adversely affected that they will be still-born.

In other cases, such as CA and DD, calves carrying 2 copies of the broken allele may reach full-term. In such cases the animal may either appear relatively normal, or show physical symptoms that affect their health and/or performance.

## How are the conditions inherited?

Research in the U.S. and Australia indicates that AM, NH, CA and DD are simply inherited recessive conditions. This means that a single gene (or pair of alleles) controls the condition.

For this mode of inheritance two copies of the undesirable allele need to be present before the condition is seen; in which case you may get an abnormal calf. A more common example of a trait with a simple recessive pattern of inheritance is black and red coat colour.

Animals with only one copy of the undesirable allele (and one copy of the normal form of the allele) appear normal and are known as “carriers”.

## What happens when carriers are mated to other animals?

Carriers, will on average, pass the undesirable allele to a random half (50 %) of their progeny.

When a carrier bull and carrier cow is mated, there is a 25% chance that the resultant calf will inherit two normal alleles, a 50% chance that the mating will result in a carrier (i.e. with just 1 copy of the undesirable allele), and a 25% chance that the calf will inherit two copies of the undesirable gene.

If animals tested free of the undesirable gene are mated to carrier animals the condition will not be expressed at all. All calves will appear normal, but approximately half (50%) could be expected to be carriers.

## How is the genetic status of animals reported?

DNA-based diagnostic tests have been developed which can be used to determine whether an individual animal is either a carrier or free of the alleles resulting in AM, NH, CA or DD.

Angus Australia uses advanced software to calculate the probability of (untested) animals to being carriers of AM, NH, CA or DD. The software uses the test results of any relatives in the calculations and the probabilities may change as new results for additional animals become available.

The genetic status of animals is being reported using five categories:

AMF	Tested AM free
AMFU	Based on Pedigree AM free - Animal has not been tested
AM_%	_% probability the animal is an AM carrier
AMC	Tested AM-Carrier
AMA	AM-Affected

For NH, CA and DD, simply replace AM in the above table with NH, CA or DD.

Registration certificates and the Angus Australia web-database display these codes. This information is displayed on the animal details page and can be accessed by conducting an “Database Search” from the Angus Australia website or looking up individual animals listed in a sale catalogue.

## Implications for Commercial Producers

Your decision on the importance of the genetic condition status of replacement bulls should depend on the genetics of your cow herd (which bulls you previously used) and whether some female progeny will be retained or sold as breeders.

Most Angus breeders are proactive and transparent in managing known genetic conditions, endeavouring to provide the best information available. The greatest risk to the commercial sector from undesirable genetic recessive conditions comes from unregistered bulls with unknown genetic background. The genetic condition testing that Angus Australia seedstock producers are investing in provides buyers of registered Angus bulls with unmatched quality assurance.

For further information contact Angus Australia’s Breed Development & Extension Manager on (02) 6773 4618.

# TransTasman Angus Cattle Evaluation - Mid April 2024 Reference Tables



BREED AVERAGE EBVs																							
Calving Ease CEDir	Birth GL	Birth BW	Growth				Fertility				Carcass				Other				Structure		Selection Indexes		
			200	400	600	MCW	Milk	SS	DTC	CWT	EMA	RIB	P8	More Fat	Less Fat	Higher Yield	Lower Yield	Greater Feed Efficiency	Less Feed Efficiency	Docile	Less Docile	Lower Score	Higher Score
+1.7	+2.8	-4.4	+4.0	+51	+92	+119	+102	+17	+2.2	-4.6	+67	+6.4	-0.1	-0.3	+0.5	+2.3	+0.22	+21	+0.84	+0.97	+1.02	+201	+346
<b>Brd Avg</b>																							

\* Breed average represents the average EBV of all 2022 drop Australian Angus and Angus-influenced seedstock animals analysed in the Mid April 2024 TransTasman Angus Cattle Evaluation

PERCENTILE BANDS TABLE																								
% Band	Calving Ease CEDir	Birth GL	Birth BW	Growth				Fertility				Carcass				Other				Structure		Selection Indexes		
				200	400	600	MCW	Milk	SS	DTC	CWT	EMA	RIB	P8	More Fat	Less Fat	Higher Yield	Lower Yield	Greater Feed Efficiency	Less Feed Efficiency	Docile	Less Docile	Lower Score	Higher Score
1%	+10.1	+9.9	-10.4	-0.4	+71	+124	+164	+166	+29	+5.1	-8.8	+100	+14.7	+4.3	+5.4	+2.1	+6.2	-0.64	+45	+0.42	+0.60	+0.72	+278	+454
5%	+8.3	+8.3	-8.6	+1.0	+65	+114	+150	+145	+25	+4.1	-7.5	+90	+12.1	+2.9	+3.5	+1.6	+4.9	-0.37	+37	+0.54	+0.70	+0.82	+257	+424
10%	+7.2	+7.3	-7.6	+1.7	+61	+109	+142	+134	+23	+3.6	-6.8	+84	+10.7	+2.2	+2.6	+1.3	+4.3	-0.23	+33	+0.60	+0.76	+0.86	+245	+407
15%	+6.4	+6.6	-7.0	+2.2	+59	+105	+137	+127	+22	+3.3	-6.3	+81	+9.8	+1.7	+2.0	+1.2	+3.9	-0.14	+31	+0.66	+0.80	+0.90	+237	+397
20%	+5.7	+6.0	-6.5	+2.5	+58	+103	+134	+122	+21	+3.1	-6.0	+78	+9.1	+1.3	+1.5	+1.0	+3.6	-0.08	+28	+0.68	+0.84	+0.92	+231	+388
25%	+5.0	+5.4	-6.1	+2.8	+56	+101	+131	+118	+20	+2.9	-5.7	+76	+8.5	+1.0	+1.1	+0.9	+3.3	-0.02	+27	+0.72	+0.86	+0.94	+225	+381
30%	+4.5	+5.0	-5.7	+3.1	+55	+99	+128	+114	+20	+2.7	-5.5	+74	+8.0	+0.7	+0.8	+0.8	+3.0	+0.03	+25	+0.74	+0.88	+0.96	+221	+374
35%	+3.9	+4.5	-5.3	+3.3	+54	+97	+126	+111	+19	+2.6	-5.2	+72	+7.5	+0.5	+0.5	+0.7	+2.8	+0.08	+24	+0.76	+0.90	+0.98	+216	+367
40%	+3.4	+4.1	-5.0	+3.5	+53	+95	+123	+108	+18	+2.4	-5.0	+70	+7.1	+0.3	+0.2	+0.6	+2.6	+0.13	+23	+0.80	+0.92	+1.00	+212	+362
45%	+2.9	+3.6	-4.7	+3.8	+52	+94	+121	+105	+18	+2.3	-4.8	+69	+6.7	-0.1	-0.1	+0.5	+2.4	+0.17	+21	+0.82	+0.94	+1.00	+208	+356
50%	+2.3	+3.2	-4.4	+4.0	+51	+92	+119	+102	+17	+2.2	-4.6	+67	+6.3	-0.1	-0.4	+0.5	+2.2	+0.21	+20	+0.84	+0.96	+1.02	+203	+350
55%	+1.8	+2.7	-4.1	+4.2	+50	+90	+117	+99	+16	+2.0	-4.4	+66	+5.9	-0.4	-0.6	+0.4	+2.0	+0.25	+19	+0.86	+0.98	+1.04	+199	+344
60%	+1.2	+2.3	-3.8	+4.4	+49	+89	+114	+96	+16	+1.9	-4.2	+64	+5.5	-0.6	-0.9	+0.3	+1.9	+0.30	+18	+0.88	+1.00	+1.06	+195	+337
65%	+0.6	+1.8	-3.5	+4.6	+48	+87	+112	+92	+15	+1.8	-4.0	+62	+5.1	-0.8	-1.2	+0.3	+1.7	+0.35	+17	+0.90	+1.02	+1.06	+190	+331
70%	-0.1	+1.2	-3.2	+4.9	+47	+85	+110	+89	+15	+1.6	-3.8	+60	+4.7	-1.0	-1.5	+0.2	+1.5	+0.40	+16	+0.94	+1.06	+1.08	+185	+323
75%	-0.9	+0.6	-2.8	+5.1	+45	+83	+107	+86	+14	+1.5	-3.6	+58	+4.2	-1.3	-1.8	+0.1	+1.3	+0.45	+14	+0.96	+1.08	+1.10	+179	+315
80%	-1.8	-0.1	-2.4	+5.4	+44	+81	+104	+82	+13	+1.3	-3.3	+56	+3.7	-1.5	-2.2	+0.0	+1.1	+0.52	+13	+1.00	+1.10	+1.12	+172	+305
85%	-2.9	-1.0	-1.9	+5.8	+42	+79	+101	+77	+12	+1.1	-2.9	+54	+3.1	-1.8	-2.6	-0.2	+0.8	+0.59	+11	+1.04	+1.14	+1.16	+164	+293
90%	-4.4	-2.3	-1.3	+6.2	+40	+76	+96	+70	+11	+0.8	-2.5	+50	+2.3	-2.3	-3.2	-0.4	+0.5	+0.69	+9	+1.08	+1.18	+1.18	+154	+278
95%	-7.0	-4.2	-0.2	+6.9	+37	+71	+89	+60	+9	+0.4	-1.7	+45	+1.0	-3.0	-4.1	-0.6	+0.0	+0.85	+5	+1.16	+1.26	+1.24	+138	+253
99%	-12.5	-8.5	+1.8	+8.3	+30	+60	+74	+41	+5	-0.5	-0.2	+34	-1.5	-4.3	-6.0	-1.2	-0.9	+1.14	-1	+1.30	+1.38	+1.34	+107	+203
More Calving Difficulty											Longer Calving Time to Calving	Lighter Carcass Weight	Smaller EMA	Less Fat	Lower Yield	Less IMF	Lower Feed Efficiency	Less Docile	Higher Score	Higher Score	Higher Score	Lower Profitability		
Less Calving Difficulty											Shorter Calving Time to Calving	Heavier Carcass Weight	Larger EMA	More Fat	Higher Yield	More IMF	Greater Feed Efficiency	More Docile	Lower Score	Lower Score	Lower Score	Greater Profitability		

\* The percentile bands represent the distribution of EBVs across the 2022 drop Australian Angus and Angus-influenced seedstock animals analysed in the Mid April 2024 TransTasman Angus Cattle Evaluation .

**Reference Sire** **AJC L172 SV** **NXOL172**

Date of Birth: 03/07/2015 Register: APR Mating Type: Natural AMFU,CAFU,DDF,NHFU

**Mid April 2024 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
<b>EBV</b>	<b>+6.9</b>	<b>+8.2</b>	<b>-6.1</b>	<b>+3.2</b>	<b>+60</b>	<b>+102</b>	<b>+139</b>	<b>+131</b>	<b>+13</b>	<b>+2.3</b>	<b>-4.9</b>
Acc	76%	61%	94%	96%	94%	94%	94%	88%	87%	83%	55%
Perc	12	6	24	32	14	21	14	13	78	43	42
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
<b>EBV</b>	<b>+71</b>	<b>+6.8</b>	<b>-0.7</b>	<b>+0.3</b>	<b>+0.3</b>	<b>+1.1</b>	<b>-1.03</b>	<b>+22</b>	<b>+1.42</b>	<b>+1.30</b>	<b>+1.20</b>
Acc	91%	89%	84%	89%	82%	91%	83%	85%	85%	85%	81%
Perc	38	44	62	38	60	79	1	44	99	97	91

AJC Z240 SV  
**SIRE: NXOF43 AJC F43 SV**  
 AJC X551 #

A A R TEN X 7008 S A SV  
**DAM: NXOJ432 AJC J432 #**  
 AJC G874 #

Statistics: Number of Herds: 7, Prog Analysed: 132, Genomic Prog: 89

**Selection Indexes**

\$A	\$A-L
<b>\$221</b>	<b>30</b>
<b>\$409</b>	<b>10</b>

Traits Observed: CE, BWT, 200WT(x2), 400WT, 600WT, SC, Scan(EMA, Rib, Rump, IMF), Genomics

**Reference Sire** **AJC N219 SV** **NXON219**

Date of Birth: 14/07/2017 Register: APR Mating Type: Natural AMFU,CAFU,DDF,NHFU

**Mid April 2024 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
<b>EBV</b>	<b>+2.9</b>	<b>+6.8</b>	<b>-3.5</b>	<b>+4.2</b>	<b>+55</b>	<b>+112</b>	<b>+149</b>	<b>+121</b>	<b>+27</b>	<b>+4.0</b>	<b>-4.9</b>
Acc	77%	65%	86%	96%	94%	93%	92%	88%	87%	86%	47%
Perc	45	13	65	55	31	7	6	22	3	6	42
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
<b>EBV</b>	<b>+95</b>	<b>+11.3</b>	<b>-3.8</b>	<b>-3.0</b>	<b>+1.2</b>	<b>+2.3</b>	<b>+0.04</b>	<b>+14</b>	<b>+1.30</b>	<b>+1.26</b>	<b>+1.04</b>
Acc	82%	72%	74%	75%	65%	76%	64%	74%	63%	63%	60%
Perc	3	8	98	89	12	47	31	78	99	95	53

AJC C18 SV  
**SIRE: NXOF615 AJC F615 SV**  
 AJC C21 #

RENNYLEA C574 PV  
**DAM: NXOH132 AJC H132 #**  
 AJC F44 #

Statistics: Number of Herds: 1, Prog Analysed: 118, Genomic Prog: 75

**Selection Indexes**

\$A	\$A-L
<b>\$239</b>	<b>14</b>
<b>\$416</b>	<b>8</b>

Traits Observed: BWT, 200WT(x2), 400WT, SC, Genomics

**Reference Sire** **AJC P289 SV** **NXOP289**

Date of Birth: 09/07/2018 Register: APR Mating Type: Natural AMF,CAF,DDF,NHF

**Mid April 2024 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
<b>EBV</b>	<b>+7.3</b>	<b>+5.6</b>	<b>-3.5</b>	<b>+4.2</b>	<b>+61</b>	<b>+110</b>	<b>+140</b>	<b>+103</b>	<b>+22</b>	<b>+2.2</b>	<b>-6.3</b>
Acc	72%	61%	84%	91%	89%	87%	86%	82%	79%	81%	47%
Perc	10	23	65	55	11	9	12	48	17	47	15
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
<b>EBV</b>	<b>+94</b>	<b>+7.2</b>	<b>-2.4</b>	<b>-2.9</b>	<b>+1.0</b>	<b>+2.2</b>	<b>-0.16</b>	<b>+9</b>	<b>+1.20</b>	<b>+1.04</b>	<b>+0.96</b>
Acc	78%	72%	73%	74%	63%	77%	67%	76%	68%	68%	66%
Perc	3	39	91	88	20	50	14	90	97	66	28

W H S LIMELIGHT 64V #  
**SIRE: NXOL99 AJC L99 PV**  
 AJC J112 SV

G A R PROPHET SV  
**DAM: NXOK96 AJC K96 #**  
 AJC H451 #

Statistics: Number of Herds: 1, Prog Analysed: 31, Genomic Prog: 17

**Selection Indexes**

\$A	\$A-L
<b>\$271</b>	<b>2</b>
<b>\$444</b>	<b>2</b>

Traits Observed: BWT, 200WT, 400WT, 600WT, SC, Genomics

**Reference Sire** **AJC P817 SV** **NXOP817**

Date of Birth: 02/08/2018 Register: APR Mating Type: Natural AMF,CAF,DDF,NHF

**Mid April 2024 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
<b>EBV</b>	<b>-0.8</b>	<b>+8.7</b>	<b>-3.5</b>	<b>+5.1</b>	<b>+58</b>	<b>+110</b>	<b>+148</b>	<b>+131</b>	<b>+12</b>	<b>+2.5</b>	<b>-5.2</b>
Acc	72%	59%	82%	92%	90%	89%	87%	83%	80%	80%	43%
Perc	75	4	65	74	19	9	6	12	84	36	35
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
<b>EBV</b>	<b>+99</b>	<b>+15.8</b>	<b>-1.9</b>	<b>-3.5</b>	<b>+2.1</b>	<b>+2.5</b>	<b>+0.05</b>	<b>+10</b>	<b>+1.08</b>	<b>+1.16</b>	<b>+1.26</b>
Acc	77%	67%	69%	70%	60%	73%	61%	72%	63%	63%	60%
Perc	2	1	86	92	1	42	32	89	89	87	97

RENNYLEA C574 PV  
**SIRE: NXOJ45 AJC J45 SV**  
 AJC G33 #

AJC K126 SV  
**DAM: NXOM511 AJC M511 #**  
 AJC K157 #

Statistics: Number of Herds: 1, Prog Analysed: 48, Genomic Prog: 32

**Selection Indexes**

\$A	\$A-L
<b>\$262</b>	<b>4</b>
<b>\$439</b>	<b>3</b>

Traits Observed: CE, BWT, 200WT(x2), 400WT, 600WT, SC, Genomics

**Reference Sire** **AJC P940 SV** **NXOP940**

Date of Birth: 12/08/2018 Register: APR Mating Type: Natural AMFU,CAFU,DDF,NHFU

**Mid April 2024 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
<b>EBV</b>	<b>+3.5</b>	<b>+4.2</b>	<b>-0.3</b>	<b>+3.9</b>	<b>+60</b>	<b>+100</b>	<b>+133</b>	<b>+92</b>	<b>+20</b>	<b>+4.0</b>	<b>-8.1</b>
Acc	75%	61%	83%	94%	93%	91%	91%	85%	81%	86%	46%
Perc	39	38	95	48	13	28	22	67	24	6	3
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
<b>EBV</b>	<b>+74</b>	<b>+4.4</b>	<b>+0.2</b>	<b>+0.6</b>	<b>-0.5</b>	<b>+5.2</b>	<b>+0.48</b>	<b>+2</b>	<b>+1.26</b>	<b>+1.10</b>	<b>+0.90</b>
Acc	80%	69%	71%	72%	62%	75%	63%	74%	63%	63%	61%
Perc	31	73	41	33	92	4	77	98	99	78	14

G A R PROPHET SV  
**SIRE: NXOK102 AJC K102 SV**  
 AJC H623 #

AYRVALE GRADE G5 PV  
**DAM: NXOK39 AJC K39 #**  
 AJC H37 #

Statistics: Number of Herds: 1, Prog Analysed: 74, Genomic Prog: 59

**Selection Indexes**

\$A	\$A-L
<b>\$281</b>	<b>\$444</b>

Traits Observed: BWT, 200WT(x2), 400WT, SC, Genomics

**Reference Sire** **AJC Q332 SV** **NXOQ332**

Date of Birth: 17/07/2019 Register: APR Mating Type: AI AMF,CAF,DDF,NHF

**Mid April 2024 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
<b>EBV</b>	<b>+3.4</b>	<b>+8.8</b>	<b>-7.5</b>	<b>+3.8</b>	<b>+49</b>	<b>+97</b>	<b>+125</b>	<b>+115</b>	<b>+14</b>	<b>+1.9</b>	<b>-3.7</b>
Acc	71%	61%	82%	86%	86%	84%	85%	82%	77%	81%	51%
Perc	40	4	11	45	60	35	37	30	71	58	71
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
<b>EBV</b>	<b>+70</b>	<b>+7.8</b>	<b>-1.4</b>	<b>-1.6</b>	<b>+0.5</b>	<b>+5.7</b>	<b>+0.62</b>	<b>+32</b>	<b>+0.86</b>	<b>+0.90</b>	<b>+1.04</b>
Acc	77%	73%	73%	75%	66%	77%	68%	77%	68%	68%	67%
Perc	42	32	77	72	47	2	87	12	53	32	53

RENNYLEA C511 PV  
**SIRE: NORH708 RENNYLEA H708 PV**  
 RENNYLEA E176 PV

AJC F128 SV  
**DAM: NXOL890 AJC L890 #**  
 AJC F243 #

Statistics: Number of Herds: 1, Prog Analysed: 8, Genomic Prog: 7

**Selection Indexes**

\$A	\$A-L
<b>\$230</b>	<b>\$396</b>

Traits Observed: GL, BWT, 200WT, 400WT, 600WT, SC, Genomics

**Reference Sire** **AJC Q653 SV** **NXOQ653**

Date of Birth: 05/08/2019 Register: APR Mating Type: Natural AMFU,CAFU,DDF,NHFU

**Mid April 2024 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
<b>EBV</b>	<b>+3.0</b>	<b>+0.2</b>	<b>-1.6</b>	<b>+6.1</b>	<b>+54</b>	<b>+100</b>	<b>+127</b>	<b>+111</b>	<b>+24</b>	<b>+5.6</b>	<b>-7.4</b>
Acc	69%	56%	81%	89%	87%	86%	87%	81%	75%	80%	41%
Perc	44	78	88	89	34	27	33	35	9	1	6
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
<b>EBV</b>	<b>+64</b>	<b>+6.7</b>	<b>+0.8</b>	<b>+0.3</b>	<b>+0.5</b>	<b>+4.3</b>	<b>+0.51</b>	<b>+9</b>	<b>+0.88</b>	<b>+0.88</b>	<b>+1.10</b>
Acc	75%	67%	68%	69%	58%	73%	61%	73%	60%	60%	59%
Perc	60	45	29	38	47	10	80	90	57	27	71

AJC E91 PV  
**SIRE: NXON255 AJC N255 SV**  
 AJC L847 #

AJC K137 SV  
**DAM: NXON959 AJC N959 #**  
 AJC K15 #

Statistics: Number of Herds: 1, Prog Analysed: 28, Genomic Prog: 18

**Selection Indexes**

\$A	\$A-L
<b>\$252</b>	<b>\$420</b>

Traits Observed: CE, BWT, 200WT, 400WT, 600WT, SC, Genomics

**Reference Sire** **AJC Q654 SV** **NXOQ654**

Date of Birth: 05/08/2019 Register: APR Mating Type: Natural AMF,CAF,DDF,NHF,DWF,MAF,MHF,OHF,OSF,RGF

**Mid April 2024 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
<b>EBV</b>	<b>+8.1</b>	<b>+11.6</b>	<b>-4.3</b>	<b>+3.8</b>	<b>+61</b>	<b>+120</b>	<b>+158</b>	<b>+139</b>	<b>+24</b>	<b>+3.7</b>	<b>-7.6</b>
Acc	79%	65%	93%	96%	95%	94%	93%	87%	87%	90%	47%
Perc	6	1	52	45	11	3	3	8	8	9	5
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
<b>EBV</b>	<b>+89</b>	<b>+10.1</b>	<b>-0.4</b>	<b>-2.5</b>	<b>+1.1</b>	<b>+3.5</b>	<b>+0.17</b>	<b>+11</b>	<b>+1.16</b>	<b>+0.92</b>	<b>+0.86</b>
Acc	82%	70%	73%	73%	63%	76%	65%	75%	60%	60%	59%
Perc	6	13	55	84	16	21	45	84	95	36	8

RENNYLEA C574 PV  
**SIRE: NXOJ45 AJC J45 SV**  
 AJC G33 #

AJC E91 PV  
**DAM: NXON761 AJC N761 #**  
 AJC K942 #

Statistics: Number of Herds: 1, Prog Analysed: 136, Genomic Prog: 117

**Selection Indexes**

\$A	\$A-L
<b>\$295</b>	<b>\$513</b>

Traits Observed: CE, BWT, 200WT, 400WT, SC, Genomics



**Reference Sire** **AJC Q736<sup>SV</sup>** **NXOQ736**

Date of Birth: 13/08/2019 Register: APR Mating Type: AI AMFU,CAFU,DDF,NHFU

**Mid April 2024 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
<b>EBV</b>	<b>+9.6</b>	<b>+7.4</b>	<b>-6.6</b>	<b>+0.9</b>	<b>+45</b>	<b>+95</b>	<b>+121</b>	<b>+115</b>	<b>+15</b>	<b>+1.7</b>	<b>-3.4</b>
Acc	79%	66%	85%	95%	93%	92%	92%	86%	82%	87%	55%
Perc	2	10	19	5	75	41	46	30	64	66	77
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
<b>EBV</b>	<b>+63</b>	<b>+9.8</b>	<b>-1.3</b>	<b>-4.2</b>	<b>+0.8</b>	<b>+7.0</b>	<b>+0.45</b>	<b>+30</b>	<b>+0.98</b>	<b>+0.88</b>	<b>+1.02</b>
Acc	82%	76%	76%	77%	69%	80%	71%	79%	66%	66%	65%
Perc	63	15	75	96	29	1	75	17	76	27	46

RENNYLEA C511<sup>PV</sup>  
**SIRE: NORH708 RENNYLEA H708<sup>PV</sup>**  
 RENNYLEA E176<sup>PV</sup>  
 AYRVALE GRADE G5<sup>PV</sup>  
**DAM: NXOK121 AJC K121 #**  
 AJC H312 #

Statistics: Number of Herds: 1, Prog Analysed: 98, Genomic Prog: 75

**Selection Indexes**

\$A	\$A-L
<b>\$231</b>	<b>\$403</b>
21	13

Traits Observed: GL, BWT, 200WT, 400WT, SC, Genomics

**Reference Sire** **AJC Q80<sup>SV</sup>** **NXOQ80**

Date of Birth: 21/06/2019 Register: APR Mating Type: AI AMF,CAF,DDF,NHF

**Mid April 2024 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
<b>EBV</b>	<b>+8.9</b>	<b>+5.6</b>	<b>-5.8</b>	<b>+2.8</b>	<b>+53</b>	<b>+101</b>	<b>+131</b>	<b>+106</b>	<b>+23</b>	<b>+4.8</b>	<b>-5.4</b>
Acc	74%	63%	85%	95%	93%	93%	92%	85%	84%	86%	46%
Perc	4	23	28	24	38	24	25	43	10	2	31
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
<b>EBV</b>	<b>+70</b>	<b>+15.5</b>	<b>-0.6</b>	<b>-0.8</b>	<b>+1.7</b>	<b>+5.0</b>	<b>+0.78</b>	<b>+15</b>	<b>+1.18</b>	<b>+1.02</b>	<b>+1.18</b>
Acc	81%	71%	72%	73%	62%	76%	66%	74%	66%	66%	65%
Perc	42	1	60	58	3	5	94	75	96	61	88

AYRVALE BARTEL E7<sup>PV</sup>  
**SIRE: ASRM9 GATES MENTOR M9<sup>SV</sup>**  
 GATES G13 VICKY K93 #  
 AJC E91<sup>PV</sup>  
**DAM: NXON3 AJC N3 #**  
 AJC L81 #

Statistics: Number of Herds: 1, Prog Analysed: 113, Genomic Prog: 97

**Selection Indexes**

\$A	\$A-L
<b>\$289</b>	<b>\$465</b>
1	1

Traits Observed: GL, BWT, 200WT, 400WT, SC, Genomics

**Reference Sire** **AJC R44<sup>PV</sup>** **NXOR44**

Date of Birth: 01/07/2020 Register: APR Mating Type: Natural AMFU,CAFU,DDFU,NHFU

**Mid April 2024 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
<b>EBV</b>	<b>-0.5</b>	<b>+4.1</b>	<b>-5.5</b>	<b>+3.8</b>	<b>+59</b>	<b>+112</b>	<b>+137</b>	<b>+116</b>	<b>+22</b>	<b>+5.9</b>	<b>-8.1</b>
Acc	74%	57%	82%	94%	92%	91%	91%	84%	76%	84%	42%
Perc	73	40	32	45	16	7	16	28	17	1	3
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
<b>EBV</b>	<b>+62</b>	<b>+6.1</b>	<b>+0.5</b>	<b>+0.2</b>	<b>-0.4</b>	<b>+5.1</b>	<b>+0.57</b>	<b>+12</b>	<b>+1.54</b>	<b>+1.20</b>	<b>+0.96</b>
Acc	78%	69%	69%	71%	59%	74%	62%	75%	59%	59%	56%
Perc	65	53	34	39	90	4	84	82	99	91	28

AJC K102<sup>SV</sup>  
**SIRE: NXOP940 AJC P940<sup>SV</sup>**  
 AJC K39 #  
 MURRAY TEN X J292<sup>SV</sup>  
**DAM: NXOP40 AJC P40<sup>SV</sup>**  
 AJC M990 #

Statistics: Number of Herds: 1, Prog Analysed: 84, Genomic Prog: 63

**Selection Indexes**

\$A	\$A-L
<b>\$262</b>	<b>\$441</b>
4	3

Traits Observed: CE, BWT, 200WT, 400WT, Genomics

**Reference Sire** **AJC R532<sup>SV</sup>** **NXOR532**

Date of Birth: 30/08/2020 Register: APR Mating Type: Natural AMFU,CAFU,DDF,NHFU

**Mid April 2024 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
<b>EBV</b>	<b>-1.7</b>	<b>+7.3</b>	<b>-5.6</b>	<b>+5.3</b>	<b>+62</b>	<b>+109</b>	<b>+153</b>	<b>+150</b>	<b>+22</b>	<b>+4.2</b>	<b>-7.4</b>
Acc	71%	58%	82%	91%	89%	87%	88%	83%	76%	83%	44%
Perc	80	10	31	78	10	11	4	4	15	5	6
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
<b>EBV</b>	<b>+86</b>	<b>+7.6</b>	<b>+0.3</b>	<b>-1.4</b>	<b>-0.6</b>	<b>+5.9</b>	<b>+0.49</b>	<b>+14</b>	<b>+1.22</b>	<b>+1.24</b>	<b>+1.22</b>
Acc	77%	69%	70%	71%	60%	74%	63%	75%	59%	59%	56%
Perc	9	34	39	68	94	2	78	78	97	94	93

H P C A PROCEED<sup>PV</sup>  
**SIRE: NXON162 AJC N162<sup>SV</sup>**  
 AJC J529 #  
 AJC J45<sup>SV</sup>  
**DAM: NXOM1007 AJC M1007 #**  
 AJC K1016 #

Statistics: Number of Herds: 1, Prog Analysed: 37, Genomic Prog: 25

**Selection Indexes**

\$A	\$A-L
<b>\$245</b>	<b>\$439</b>
11	3

Traits Observed: BWT, 200WT, Genomics

**Reference Sire** **AJC R542 SV** **NXOR542**

Date of Birth: 30/08/2020 Register: APR Mating Type: Natural AMFU,CAFU,DDFU,NHFU

**Mid April 2024 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
<b>EBV</b>	<b>+5.3</b>	<b>+6.1</b>	<b>-4.9</b>	<b>+2.3</b>	<b>+53</b>	<b>+107</b>	<b>+142</b>	<b>+89</b>	<b>+28</b>	<b>+3.5</b>	<b>-5.3</b>
Acc	70%	57%	82%	92%	90%	87%	87%	83%	76%	83%	41%
Perc	23	19	42	17	42	13	11	70	2	12	33
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
<b>EBV</b>	<b>+86</b>	<b>+9.3</b>	<b>-3.0</b>	<b>-3.0</b>	<b>+1.2</b>	<b>+2.5</b>	<b>+0.11</b>	<b>+26</b>	<b>+1.34</b>	<b>+1.40</b>	<b>+1.12</b>
Acc	76%	68%	69%	71%	60%	74%	62%	74%	57%	57%	54%
Perc	8	19	95	89	12	42	38	27	99	99	76

AJC F615 SV  
**SIRE: NXON219 AJC N219 SV**  
 AJC H132 #  
 AJC K56 SV  
**DAM: NXON435 AJC N435 #**  
 AJC L111 #

Statistics: Number of Herds: 1, Prog Analysed: 44, Genomic Prog: 31

**Selection Indexes**

\$A	\$A-L
<b>\$260</b>	<b>\$418</b>

Traits Observed: BWT, 200WT, Genomics

**Reference Sire** **AJC R93 PV** **NXOR93**

Date of Birth: 11/07/2020 Register: APR Mating Type: Natural AMFU,CAFU,DDFU,NHFU

**Mid April 2024 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
<b>EBV</b>	<b>+0.5</b>	<b>+9.7</b>	<b>-5.3</b>	<b>+1.0</b>	<b>+48</b>	<b>+95</b>	<b>+119</b>	<b>+86</b>	<b>+21</b>	<b>+1.8</b>	<b>-7.3</b>
Acc	73%	60%	82%	92%	90%	87%	87%	83%	77%	83%	46%
Perc	66	2	35	5	66	41	51	74	18	62	6
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
<b>EBV</b>	<b>+77</b>	<b>+13.0</b>	<b>+0.3</b>	<b>-0.5</b>	<b>+0.4</b>	<b>+5.6</b>	<b>+0.90</b>	<b>+12</b>	<b>+1.08</b>	<b>+0.94</b>	<b>+0.98</b>
Acc	77%	69%	70%	72%	61%	74%	63%	75%	65%	65%	63%
Perc	22	3	39	52	54	2	96	82	89	41	34

RENNYLEA C574 PV  
**SIRE: NXOJ45 AJC J45 SV**  
 AJC G33 #  
 H P C A PROCEED PV  
**DAM: NXOP130 AJC P130 SV**  
 AJC M6 #

Statistics: Number of Herds: 1, Prog Analysed: 56, Genomic Prog: 46

**Selection Indexes**

\$A	\$A-L
<b>\$274</b>	<b>\$429</b>

Traits Observed: CE, BWT, 200WT, 400WT, Genomics

**Reference Sire** **CONNAMARA P64 SV** **VHGP64**

Date of Birth: 20/03/2018 Register: APR Mating Type: AI AMF,CAF,DDF,NHF,DWF,MAF,MHF,OHF,OSF,RGF

**Mid April 2024 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
<b>EBV</b>	<b>+8.7</b>	<b>+7.3</b>	<b>-5.2</b>	<b>+4.2</b>	<b>+72</b>	<b>+127</b>	<b>+176</b>	<b>+163</b>	<b>+27</b>	<b>+2.6</b>	<b>-4.2</b>
Acc	81%	65%	98%	97%	96%	95%	95%	88%	79%	94%	54%
Perc	4	10	37	55	1	1	1	2	3	33	60
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
<b>EBV</b>	<b>+109</b>	<b>+10.0</b>	<b>-2.1</b>	<b>-2.1</b>	<b>+0.5</b>	<b>+3.9</b>	<b>-0.23</b>	<b>+13</b>	<b>+0.86</b>	<b>+1.08</b>	<b>+1.22</b>
Acc	81%	81%	81%	81%	75%	82%	67%	93%	87%	88%	84%
Perc	1	14	88	79	47	15	10	79	53	74	93

S S OBJECTIVE T510 OT26 #  
**SIRE: USA16350631 G A R TWINHEARTS 8418 SV**  
 G A R YIELD GRADE 2015 #  
 TOPBOS AMBASSADOR F4 PV  
**DAM: VHJ8 CONNAMARA J8 #**  
 CONNAMARA G24 #

Statistics: Number of Herds: 27, Prog Analysed: 499, Genomic Prog: 268

**Selection Indexes**

\$A	\$A-L
<b>\$276</b>	<b>\$494</b>

Traits Observed: GL, BWT, 200WT, DOC, Genomics

*"Finlay Hay extends our congratulations to Speriby North Angus on their outstanding presentation of 2024 sale bulls. We acknowledge their dedication, commitment and passion to the Angus breed."*

**- Greg Finlay, Bonshaw NSW  
 0428 535 130  
 Hay Suppliers across QLD & NSW**



  
Speriby North 26<sup>th</sup> Bull Sale





## EBV Quick Reference for Speriby North Bull Sale 2024

Animal Identi	Calving Ease				Birth				Growth				Fertility				Carcase				Other				Structural		Selection Indexes	
	CED	CEM	GL	BW	200	400	600	MCW	Milk	SS	DC	CWT	EMA	Rib	Rump	RBV	IMF	NFI-F	Doc	Claw	Angle	Leg	\$A	\$A-L	\$A	\$A-L		
35	NXO22T82	+6.0	+10.6	-9.1	+3.4	+61	+116	+145	+124	+20	+3.3	-6.4	+82	+12.9	-2.1	-3.1	+1.9	+1.2	+0.35	+10	+0.78	+0.78	+0.98	\$280	\$477			
36	NXO22T117	+3.9	+8.1	-3.6	+2.0	+46	+86	+113	+87	+23	+2.3	-9.5	+65	+6.7	+1.6	-0.2	-0.3	+6.5	+0.70	+11	+1.04	+1.08	+1.22	\$271	\$435			
37	NXO22T805	+0.4	+8.5	-2.3	+6.5	+74	+129	+173	+154	+21	+3.6	-7.0	+114	+8.7	-3.8	-4.7	+1.2	+2.6	+0.17	-6	+1.34	+0.96	+1.14	\$289	\$495			
38	NXO22T1041	+7.7	+8.8	-1.8	+3.2	+49	+89	+112	+92	+14	+3.3	-9.7	+74	+4.2	+0.5	+0.1	+0.2	+3.8	-0.25	+20	+1.14	+0.96	+0.92	\$263	\$440			
39	NXO22T962	+8.9	+9.4	-5.7	+1.1	+46	+89	+118	+88	+20	+2.9	-5.4	+65	+16.4	+1.1	+0.0	+1.7	+3.1	+0.37	+7	+1.12	+1.12	+1.06	\$265	\$428			
40	NXO22T485	-1.3	+4.3	-4.3	+4.5	+61	+110	+139	+134	+13	+3.3	-9.5	+71	+7.0	+1.4	+1.1	+0.3	+2.2	+0.36	+9	+1.32	+1.12	+0.98	\$260	\$450			
41	NXO22T188	+3.5	+5.0	-3.8	+4.9	+62	+110	+140	+130	+25	+2.7	-6.5	+85	+10.9	-2.4	-3.0	+1.0	+2.8	+0.10	+20	+1.14	+1.16	+1.12	\$259	\$443			
42	NXO22T1099	+5.5	+4.1	-2.1	+3.5	+53	+102	+138	+103	+24	+4.0	-5.6	+86	+7.0	+0.6	+0.7	+0.0	+4.4	+0.89	+23	+1.34	+1.32	+1.10	\$251	\$418			
43	NXO22T528	-2.3	+9.2	-3.5	+6.8	+56	+93	+137	+122	+21	+2.8	-8.1	+76	+10.1	+0.6	-2.2	+0.8	+4.1	+0.04	+10	+0.90	+0.98	+1.10	\$251	\$417			
44	NXO22T1042	+9.8	+9.2	-7.1	+1.2	+46	+92	+118	+62	+31	+0.5	-4.3	+66	+2.4	+0.3	+0.3	-0.2	+4.9	+0.48	+14	+1.38	+1.32	+1.04	\$245	\$381			
45	NXO22T352	+6.2	+6.0	-5.3	+3.7	+55	+106	+135	+119	+24	+3.0	-6.2	+84	+10.3	-2.1	-2.3	+0.7	+3.3	+0.06	+7	+1.32	+1.16	+1.08	\$249	\$432			
46	NXO22T1011	+0.6	+3.2	-6.3	+2.1	+47	+91	+108	+73	+21	+1.9	-8.1	+64	+6.2	+2.0	+0.1	-0.2	+4.4	+0.52	+20	+1.08	+1.10	+1.02	\$246	\$384			
47	NXO22T408	+5.2	+4.3	-5.5	+2.9	+54	+99	+139	+117	+21	+4.4	-7.9	+81	+2.5	-0.5	-2.5	-0.8	+5.3	+0.36	+5	+1.18	+1.08	+1.20	\$234	\$414			
48	NXO22T1158	+2.2	+2.7	-4.4	+4.6	+53	+96	+129	+96	+23	+3.7	-5.3	+64	+11.3	-1.7	-1.1	+0.8	+2.9	+0.24	+10	+1.08	+0.96	+0.82	\$237	\$385			
49	NXO22T1171	+2.3	+5.3	-8.9	+3.2	+65	+117	+147	+121	+12	+1.2	-6.0	+91	+9.6	-1.2	-0.7	+0.5	+2.7	-0.18	+20	+1.26	+0.96	+1.04	\$277	\$458			
50	NXO22T522	+2.9	+7.2	-5.8	+4.1	+62	+102	+144	+125	+15	+3.6	-6.6	+82	+1.3	-0.5	+0.4	-0.7	+4.2	+0.51	+17	+1.18	+1.14	+1.10	\$241	\$421			
51	NXO22T353	+1.3	+8.8	-2.8	+3.7	+59	+105	+129	+125	+16	+4.0	-7.3	+75	+5.4	-3.0	-4.0	+0.5	+4.8	+0.06	+8	+1.32	+1.00	+0.92	\$250	\$433			
52	NXO22T828	+5.1	+1.4	-6.5	+4.2	+54	+98	+134	+98	+24	+2.0	-3.8	+75	+7.3	-2.0	-1.4	+1.0	+3.0	-0.05	+15	+1.08	+1.00	+0.86	\$236	\$382			
53	NXO22T14	+5.9	+1.3	-6.2	+4.7	+53	+101	+141	+125	+27	+4.3	-5.2	+77	+7.9	+0.3	-1.2	+0.3	+4.8	+0.76	+19	+1.16	+1.10	+1.20	\$232	\$407			
54	NXO22T947	+7.1	+9.0	-4.6	+3.1	+47	+96	+130	+113	+20	+2.0	-5.1	+76	+8.7	-1.8	-4.6	+0.6	+4.9	+0.26	+11	+0.90	+0.88	+1.08	\$227	\$402			
55	NXO22T52	+8.3	+6.0	-6.8	+2.8	+55	+100	+124	+105	+15	+0.7	-1.8	+71	+8.3	-2.4	-7.7	+0.9	+4.9	-0.04	+14	+1.12	+0.80	+1.00	\$216	\$369			
56	NXO22T630	+9.5	+8.1	-4.8	+1.4	+52	+104	+143	+123	+26	+3.9	-3.3	+78	+6.4	-1.3	-0.1	+0.2	+4.2	+0.40	+6	+0.92	+1.04	+1.04	\$222	\$404			
57	NXO22T451	+5.2	+8.7	-7.4	+2.7	+51	+91	+128	+128	+16	+1.8	-4.5	+60	+7.4	-0.4	-0.9	+0.1	+3.9	+0.36	+8	+1.16	+1.00	+1.24	\$206	\$382			
<b>CED</b>		<b>+1.7</b>	<b>+2.8</b>	<b>-4.4</b>	<b>+4.0</b>	<b>+51</b>	<b>+92</b>	<b>+119</b>	<b>+102</b>	<b>+17</b>	<b>+2.2</b>	<b>-4.6</b>	<b>+67</b>	<b>+6.4</b>	<b>-0.1</b>	<b>-0.3</b>	<b>+0.5</b>	<b>+2.3</b>	<b>+0.22</b>	<b>+21</b>	<b>+0.84</b>	<b>+0.97</b>	<b>+1.02</b>	<b>+201</b>	<b>+346</b>			



**Lot 1** **AJC T732 PV** **NXO22T732**

Date of Birth: 09/08/2022 Register: APR Mating Type: AI AMF,CAF,DDF,NHF

**Mid April 2024 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
<b>EBV</b>	<b>+8.6</b>	<b>+8.1</b>	<b>-5.6</b>	<b>+1.5</b>	<b>+58</b>	<b>+107</b>	<b>+146</b>	<b>+127</b>	<b>+28</b>	<b>+1.3</b>	<b>-6.7</b>
Acc	67%	57%	83%	82%	83%	81%	82%	78%	74%	80%	43%
Perc	4	6	31	8	20	12	7	16	2	79	11
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
<b>EBV</b>	<b>+86</b>	<b>+8.2</b>	<b>+0.6</b>	<b>+1.2</b>	<b>-0.2</b>	<b>+4.5</b>	<b>-0.04</b>	<b>+23</b>	<b>+0.94</b>	<b>+0.96</b>	<b>+1.04</b>
Acc	71%	71%	70%	71%	62%	75%	63%	77%	66%	66%	64%
Perc	8	28	32	24	84	8	23	40	69	46	53

G A R TWINHEARTS 8418 SV  
**SIRE: VHGP64 CONNAMARA P64 SV**  
 CONNAMARA J8 #  
 AJC N162 SV  
**DAM: NXOR176 AJC R176 SV**  
 AJC J458 #

**Purchaser:** .....  
 \$ .....

**Selection Indexes** Traits Observed: GL, CE, BWT, 200WT, 400WT, 600WT, SC, Genomics

\$A		\$A-L	
<b>\$270</b>	<b>2</b>	<b>\$466</b>	<b>1</b>

**Lot 2** **AJC T331 PV** **NXO22T331**

Date of Birth: 17/07/2022 Register: APR Mating Type: Natural AMFU,CAFU,DDFU,NHFU

**Mid April 2024 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
<b>EBV</b>	<b>+3.0</b>	<b>+6.0</b>	<b>-8.0</b>	<b>+1.1</b>	<b>+46</b>	<b>+100</b>	<b>+123</b>	<b>+93</b>	<b>+25</b>	<b>+2.3</b>	<b>-4.0</b>
Acc	65%	56%	82%	81%	83%	81%	81%	78%	74%	79%	42%
Perc	44	20	8	6	72	28	41	64	6	43	65
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
<b>EBV</b>	<b>+74</b>	<b>+15.4</b>	<b>-0.8</b>	<b>-1.7</b>	<b>+1.1</b>	<b>+5.5</b>	<b>+0.49</b>	<b>+4</b>	<b>+1.08</b>	<b>+1.18</b>	<b>+1.02</b>
Acc	71%	70%	70%	71%	60%	75%	63%	75%	56%	57%	56%
Perc	31	1	65	73	16	3	78	97	89	89	46

RENNYLEA H708 PV  
**SIRE: NXOQ332 AJC Q332 SV**  
 AJC L890 #  
 AJC K130 SV  
**DAM: NXOQ756 AJC Q756 SV**  
 AJC M1007 #

**Purchaser:** .....  
 \$ .....

**Selection Indexes** Traits Observed: BWT, 200WT, 400WT, 600WT, SC, Genomics

\$A		\$A-L	
<b>\$255</b>	<b>6</b>	<b>\$408</b>	<b>10</b>

**Lot 3** **AJC T50 PV** **NXO22T50**

Date of Birth: 22/06/2022 Register: APR Mating Type: AI AMF,CAF,DDF,NHF

**Mid April 2024 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
<b>EBV</b>	<b>+5.3</b>	<b>+4.9</b>	<b>-2.2</b>	<b>+6.5</b>	<b>+64</b>	<b>+123</b>	<b>+163</b>	<b>+151</b>	<b>+16</b>	<b>+2.9</b>	<b>-6.0</b>
Acc	66%	55%	82%	82%	83%	81%	81%	77%	74%	79%	40%
Perc	23	31	82	92	6	2	2	4	60	24	20
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
<b>EBV</b>	<b>+98</b>	<b>+16.8</b>	<b>-1.9</b>	<b>-2.3</b>	<b>+2.0</b>	<b>+2.4</b>	<b>+0.01</b>	<b>+28</b>	<b>+0.90</b>	<b>+0.74</b>	<b>+0.84</b>
Acc	70%	68%	68%	69%	58%	73%	61%	73%	60%	60%	59%
Perc	2	1	86	81	2	44	28	22	62	7	6

AJC J45 SV  
**SIRE: NXOQ654 AJC Q654 SV**  
 AJC N761 #  
 AJC L99 PV  
**DAM: NXOR22 AJC R22 PV**  
 AJC P547 SV

**Purchaser:** .....  
 \$ .....

**Selection Indexes** Traits Observed: GL, CE, BWT, 200WT, 400WT, 600WT, SC, Genomics

\$A		\$A-L	
<b>\$295</b>	<b>1</b>	<b>\$505</b>	<b>1</b>

**Lot 4** **AJC T170 PV** **NXO22T170**

Date of Birth: 10/07/2022 Register: APR Mating Type: Natural AMF,CAF,DDF,NHF

**Mid April 2024 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
<b>EBV</b>	<b>+8.1</b>	<b>+8.8</b>	<b>-2.9</b>	<b>+3.8</b>	<b>+60</b>	<b>+107</b>	<b>+145</b>	<b>+99</b>	<b>+28</b>	<b>+4.5</b>	<b>-8.7</b>
Acc	66%	55%	82%	82%	83%	81%	82%	78%	75%	79%	39%
Perc	6	4	73	45	14	13	8	55	2	3	2
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
<b>EBV</b>	<b>+81</b>	<b>+4.2</b>	<b>+0.5</b>	<b>-1.2</b>	<b>-0.5</b>	<b>+5.1</b>	<b>+0.65</b>	<b>+17</b>	<b>+1.04</b>	<b>+0.90</b>	<b>+0.98</b>
Acc	70%	68%	68%	69%	58%	73%	60%	74%	56%	56%	54%
Perc	15	75	34	65	92	4	88	66	85	32	34

AJC J45 SV  
**SIRE: NXOQ654 AJC Q654 SV**  
 AJC N761 #  
 AJC M769 SV  
**DAM: NXOR127 AJC R127 SV**  
 AJC M586 #

**Purchaser:** .....  
 \$ .....

**Selection Indexes** Traits Observed: CE, BWT, 200WT, 400WT, 600WT, SC, Genomics

\$A		\$A-L	
<b>\$291</b>	<b>1</b>	<b>\$476</b>	<b>1</b>

**Lot 5** **AJC T178 SV** **NXO22T178**

Date of Birth: 10/07/2022 Register: APR Mating Type: Natural AMF,CAF,DDF,NHF

**Mid April 2024 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
<b>EBV</b>	<b>+6.1</b>	<b>+10.0</b>	<b>-5.0</b>	<b>+3.1</b>	<b>+63</b>	<b>+120</b>	<b>+161</b>	<b>+125</b>	<b>+28</b>	<b>+2.3</b>	<b>-7.7</b>
Acc	66%	56%	82%	82%	83%	81%	81%	78%	75%	78%	42%
Perc	17	1	40	30	7	2	2	18	2	43	4
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
<b>EBV</b>	<b>+91</b>	<b>+10.3</b>	<b>-0.9</b>	<b>-3.4</b>	<b>+1.0</b>	<b>+3.1</b>	<b>+0.44</b>	<b>+26</b>	<b>+1.16</b>	<b>+1.02</b>	<b>+0.80</b>
Acc	70%	68%	68%	69%	59%	73%	60%	73%	61%	61%	60%
Perc	5	12	67	92	20	28	74	28	95	61	4

AJC J45 SV  
**SIRE: NXOQ654 AJC Q654 SV**  
 AJC N761 #  
 H P C A INTENSITY #  
**DAM: NXOL107 AJC L107 #**  
 AJC J383 #

**Selection Indexes**

\$A	\$A-L
<b>\$301</b>	<b>1</b>

Traits Observed: BWT, 200WT, 400WT, 600WT, SC, Genomics

**Purchaser:** .....  
 \$ .....

**Lot 6** **AJC T6 PV** **NXO22T6**

Date of Birth: 08/06/2022 Register: APR Mating Type: Natural AMF,CAF,DDF,NHF

**Mid April 2024 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
<b>EBV</b>	<b>+8.9</b>	<b>+6.9</b>	<b>-11.4</b>	<b>+4.3</b>	<b>+51</b>	<b>+109</b>	<b>+146</b>	<b>+133</b>	<b>+25</b>	<b>+1.9</b>	<b>-5.7</b>
Acc	67%	57%	82%	82%	83%	81%	82%	78%	75%	79%	43%
Perc	4	13	1	57	48	10	8	11	5	58	25
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
<b>EBV</b>	<b>+80</b>	<b>+8.5</b>	<b>-1.4</b>	<b>-2.5</b>	<b>+0.3</b>	<b>+4.6</b>	<b>+0.40</b>	<b>+23</b>	<b>+1.26</b>	<b>+0.98</b>	<b>+1.10</b>
Acc	72%	70%	70%	72%	61%	76%	64%	75%	57%	57%	57%
Perc	17	25	77	84	60	7	70	40	99	51	71

RENNYLEA H708 PV  
**SIRE: NXOQ736 AJC Q736 SV**  
 AJC K121 #  
 AJC P293 SV  
**DAM: NXOR91 AJC R91 PV**  
 AJC P341 SV

**Selection Indexes**

\$A	\$A-L
<b>\$240</b>	<b>13</b>

Traits Observed: CE, BWT, 200WT, 400WT, 600WT, SC, Genomics

**Purchaser:** .....  
 \$ .....

**Lot 7** **AJC T1115 PV** **NXO22T1115**

Date of Birth: 01/10/2022 Register: APR Mating Type: Natural AMFU,CAFU,DDFU,NHFU

**Mid April 2024 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
<b>EBV</b>	<b>+6.3</b>	<b>+8.1</b>	<b>-3.6</b>	<b>+4.9</b>	<b>+61</b>	<b>+113</b>	<b>+152</b>	<b>+126</b>	<b>+27</b>	<b>+3.2</b>	<b>-4.2</b>
Acc	67%	57%	83%	83%	84%	82%	82%	79%	76%	80%	41%
Perc	16	6	63	70	10	6	4	17	3	17	60
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
<b>EBV</b>	<b>+80</b>	<b>+8.6</b>	<b>-1.5</b>	<b>-2.0</b>	<b>+0.4</b>	<b>+4.8</b>	<b>+0.34</b>	<b>+35</b>	<b>+1.00</b>	<b>+0.74</b>	<b>+0.86</b>
Acc	71%	69%	69%	70%	60%	74%	62%	75%	54%	54%	53%
Perc	17	24	79	77	54	6	64	8	79	7	8

AJC J45 SV  
**SIRE: NXOQ654 AJC Q654 SV**  
 AJC N761 #  
 AJC K135 SV  
**DAM: NXOP898 AJC P898 SV**  
 AJC H451 #

**Selection Indexes**

\$A	\$A-L
<b>\$263</b>	<b>4</b>

Traits Observed: BWT, 200WT, 400WT, 600WT, SC, Genomics

**Purchaser:** .....  
 \$ .....

**Lot 8** **AJC T558 PV** **NXO22T558**

Date of Birth: 29/07/2022 Register: APR Mating Type: Natural AMFU,CAFU,DDF,NHFU

**Mid April 2024 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
<b>EBV</b>	<b>-1.9</b>	<b>+2.0</b>	<b>+2.5</b>	<b>+6.3</b>	<b>+63</b>	<b>+111</b>	<b>+152</b>	<b>+124</b>	<b>+21</b>	<b>+3.1</b>	<b>-8.0</b>
Acc	65%	54%	81%	82%	83%	81%	81%	77%	74%	78%	39%
Perc	81	63	99	91	7	8	4	18	20	19	3
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
<b>EBV</b>	<b>+80</b>	<b>+8.9</b>	<b>-1.6</b>	<b>-1.6</b>	<b>+0.8</b>	<b>+4.4</b>	<b>+0.48</b>	<b>+5</b>	<b>+1.24</b>	<b>+1.08</b>	<b>+0.98</b>
Acc	70%	68%	68%	69%	58%	73%	60%	74%	59%	59%	57%
Perc	17	22	81	72	29	9	77	96	98	74	34

AJC K102 SV  
**SIRE: NXOP940 AJC P940 SV**  
 AJC K39 #  
 GATES MENTOR M9 SV  
**DAM: NXOQ536 AJC Q536 SV**  
 AJC N335 #

**Selection Indexes**

\$A	\$A-L
<b>\$285</b>	<b>1</b>

Traits Observed: BWT, 200WT, 400WT, 600WT, SC, Genomics

**Purchaser:** .....  
 \$ .....

**Lot 9** **AJC T58 PV** **NXO22T58**

Date of Birth: 22/06/2022 Register: APR Mating Type: Natural AMF,CAF,DDF,NHF

**Mid April 2024 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
<b>EBV</b>	<b>+8.7</b>	<b>+5.5</b>	<b>-4.1</b>	<b>+2.6</b>	<b>+50</b>	<b>+91</b>	<b>+120</b>	<b>+111</b>	<b>+15</b>	<b>-0.2</b>	<b>-2.9</b>
Acc	67%	57%	82%	82%	83%	81%	81%	78%	74%	79%	44%
Perc	4	24	55	21	54	55	48	34	64	99	85
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
<b>EBV</b>	<b>+78</b>	<b>+9.6</b>	<b>-1.9</b>	<b>-4.5</b>	<b>+1.0</b>	<b>+4.9</b>	<b>+0.59</b>	<b>+4</b>	<b>+0.76</b>	<b>+0.86</b>	<b>+1.10</b>
Acc	72%	70%	70%	71%	61%	75%	64%	75%	63%	63%	60%
Perc	21	17	86	97	20	5	85	97	32	23	71

RENNYLEA H708 PV  
**SIRE: NXOQ736 AJC Q736 SV**  
 AJC K121 #  
 AJC E91 PV  
**DAM: NXOR186 AJC R186 PV**  
 AJC P1062 SV

**Purchaser:** .....  
 \$ .....

**Selection Indexes**

\$A	\$A-L
<b>\$220</b>	<b>32</b>
<b>\$377</b>	<b>28</b>

Traits Observed: CE, BWT, 200WT, 400WT, 600WT, SC, Genomics

**Lot 10** **AJC T381 SV** **NXO22T381**

Date of Birth: 19/07/2022 Register: APR Mating Type: Natural AMFU,CAFU,DDFU,NHFU

**Mid April 2024 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
<b>EBV</b>	<b>+4.6</b>	<b>+11.5</b>	<b>-4.9</b>	<b>+5.0</b>	<b>+51</b>	<b>+97</b>	<b>+127</b>	<b>+98</b>	<b>+19</b>	<b>+3.6</b>	<b>-6.2</b>
Acc	66%	56%	82%	82%	83%	81%	82%	78%	75%	79%	41%
Perc	29	1	42	72	49	36	33	56	31	10	17
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
<b>EBV</b>	<b>+69</b>	<b>+13.1</b>	<b>-2.3</b>	<b>-5.0</b>	<b>+2.0</b>	<b>+2.7</b>	<b>+1.01</b>	<b>+3</b>	<b>+1.12</b>	<b>+0.80</b>	<b>+0.88</b>
Acc	71%	68%	68%	70%	59%	74%	61%	74%	59%	59%	57%
Perc	46	3	90	98	2	37	98	98	92	13	11

AJC J45 SV  
**SIRE: NXOQ654 AJC Q654 SV**  
 AJC N761 #  
 MURRAY TEN X J292 SV  
**DAM: NXOM554 AJC M554 #**  
 AJC G180 #

**Purchaser:** .....  
 \$ .....

**Selection Indexes**

\$A	\$A-L
<b>\$259</b>	<b>5</b>
<b>\$426</b>	<b>5</b>

Traits Observed: BWT, 200WT, 400WT, 600WT, SC, Genomics

**Lot 11** **AJC T76 PV** **NXO22T76**

Date of Birth: 25/06/2022 Register: APR Mating Type: AI AMFU,CAFU,DDFU,NHFU

**Mid April 2024 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
<b>EBV</b>	<b>+5.4</b>	<b>+4.2</b>	<b>-1.8</b>	<b>+5.6</b>	<b>+69</b>	<b>+118</b>	<b>+167</b>	<b>+145</b>	<b>+19</b>	<b>+4.0</b>	<b>-6.2</b>
Acc	68%	57%	83%	83%	84%	82%	83%	79%	75%	81%	44%
Perc	22	38	86	82	2	3	1	5	31	6	17
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
<b>EBV</b>	<b>+109</b>	<b>+7.8</b>	<b>-2.4</b>	<b>-2.1</b>	<b>+0.6</b>	<b>+3.4</b>	<b>-0.01</b>	<b>+12</b>	<b>+0.70</b>	<b>+1.10</b>	<b>+1.24</b>
Acc	72%	72%	71%	73%	63%	76%	64%	78%	65%	65%	61%
Perc	1	32	91	79	41	22	26	82	21	78	95

G A R TWINHEARTS 8418 SV  
**SIRE: VHGP64 CONNAMARA P64 SV**  
 CONNAMARA J8 #  
 AJC L99 PV  
**DAM: NXOQ595 AJC Q595 SV**  
 AJC J36 #

**Purchaser:** .....  
 \$ .....

**Selection Indexes**

\$A	\$A-L
<b>\$278</b>	<b>2</b>
<b>\$479</b>	<b>1</b>

Traits Observed: GL, CE, BWT, 200WT, 400WT, 600WT, SC, Genomics

**Lot 12** **AJC T108 PV** **NXO22T108**

Date of Birth: 01/07/2022 Register: APR Mating Type: AI AMFU,CAFU,DDFU,NHFU

**Mid April 2024 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
<b>EBV</b>	<b>+6.7</b>	<b>+8.9</b>	<b>-6.0</b>	<b>+4.4</b>	<b>+70</b>	<b>+126</b>	<b>+167</b>	<b>+147</b>	<b>+21</b>	<b>+3.0</b>	<b>-6.4</b>
Acc	67%	56%	83%	82%	83%	81%	82%	78%	74%	80%	41%
Perc	13	3	26	59	2	1	1	5	20	21	14
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
<b>EBV</b>	<b>+103</b>	<b>+5.5</b>	<b>-2.9</b>	<b>-3.0</b>	<b>+0.1</b>	<b>+2.4</b>	<b>-0.05</b>	<b>+21</b>	<b>+0.96</b>	<b>+1.02</b>	<b>+1.06</b>
Acc	70%	70%	69%	71%	61%	74%	61%	77%	65%	65%	61%
Perc	1	60	95	89	71	44	22	47	73	61	59

G A R TWINHEARTS 8418 SV  
**SIRE: VHGP64 CONNAMARA P64 SV**  
 CONNAMARA J8 #  
 AJC M807 SV  
**DAM: NXOR87 AJC R87 PV**  
 AJC P170 SV

**Purchaser:** .....  
 \$ .....

**Selection Indexes**

\$A	\$A-L
<b>\$267</b>	<b>3</b>
<b>\$482</b>	<b>1</b>

Traits Observed: GL, CE, BWT, 200WT, 400WT, 600WT, SC, Genomics



**Lot 13** **AJC T899 PV** **NXO22T899**

Date of Birth: 28/08/2022 Register: APR Mating Type: Natural AMF,CAF,DDF,NHF

**Mid April 2024 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
<b>EBV</b>	<b>+3.9</b>	<b>+5.3</b>	<b>-6.3</b>	<b>+3.3</b>	<b>+54</b>	<b>+105</b>	<b>+132</b>	<b>+103</b>	<b>+19</b>	<b>+2.7</b>	<b>-5.5</b>
Acc	64%	53%	81%	82%	83%	81%	81%	77%	73%	78%	38%
Perc	35	26	22	34	35	17	23	49	33	29	29
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
<b>EBV</b>	<b>+80</b>	<b>+7.8</b>	<b>-1.6</b>	<b>-0.2</b>	<b>+0.1</b>	<b>+4.7</b>	<b>+0.54</b>	<b>+22</b>	<b>+1.42</b>	<b>+1.14</b>	<b>+1.02</b>
Acc	70%	68%	68%	69%	58%	73%	60%	74%	57%	57%	56%
Perc	16	32	81	47	71	6	82	44	99	84	46

AJC N219 SV  
**SIRE: NXOR542 AJC R542 SV**  
 AJC N435 #  
 AJC M95 SV  
**DAM: NXOQ284 AJC Q284 SV**  
 AJC L1016 #

**Purchaser:** .....  
 \$ .....

**Selection Indexes**

\$A	\$A-L
<b>\$257</b>	<b>6</b>
<b>\$423</b>	<b>6</b>

Traits Observed: BWT, 200WT, 400WT, 600WT, SC, Genomics

**Lot 14** **AJC T612 PV** **NXO22T612**

Date of Birth: 01/08/2022 Register: APR Mating Type: Natural AMF,CAF,DDF,NHF

**Mid April 2024 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
<b>EBV</b>	<b>+2.1</b>	<b>+1.7</b>	<b>-4.0</b>	<b>+3.2</b>	<b>+51</b>	<b>+101</b>	<b>+124</b>	<b>+124</b>	<b>+22</b>	<b>+1.7</b>	<b>-8.9</b>
Acc	66%	55%	82%	83%	84%	82%	82%	78%	75%	79%	39%
Perc	52	66	57	32	49	24	40	19	16	66	1
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
<b>EBV</b>	<b>+64</b>	<b>+3.1</b>	<b>+3.0</b>	<b>+3.6</b>	<b>-1.3</b>	<b>+5.3</b>	<b>+0.77</b>	<b>+0</b>	<b>+0.96</b>	<b>+1.04</b>	<b>+0.98</b>
Acc	71%	69%	69%	70%	59%	74%	61%	75%	54%	54%	51%
Perc	59	85	5	5	99	3	93	99	73	66	34

AJC P940 SV  
**SIRE: NXOR44 AJC R44 PV**  
 AJC P40 SV  
 AJC K137 SV  
**DAM: NXOQ206 AJC Q206 SV**  
 AJC M938 #

**Purchaser:** .....  
 \$ .....

**Selection Indexes**

\$A	\$A-L
<b>\$237</b>	<b>15</b>
<b>\$420</b>	<b>6</b>

Traits Observed: BWT, 200WT, 400WT, 600WT, SC, Genomics

**Lot 15** **AJC T538 PV** **NXO22T538**

Date of Birth: 28/07/2022 Register: APR Mating Type: AI AMFU,CAFU,DDF,NHFU

**Mid April 2024 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
<b>EBV</b>	<b>+7.9</b>	<b>+8.7</b>	<b>-5.7</b>	<b>+2.6</b>	<b>+61</b>	<b>+110</b>	<b>+144</b>	<b>+114</b>	<b>+25</b>	<b>+3.0</b>	<b>-7.8</b>
Acc	65%	55%	81%	81%	82%	80%	81%	77%	74%	78%	39%
Perc	7	4	30	21	10	9	9	31	5	21	4
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
<b>EBV</b>	<b>+88</b>	<b>+12.5</b>	<b>+0.2</b>	<b>-0.3</b>	<b>+0.8</b>	<b>+4.0</b>	<b>+0.27</b>	<b>+12</b>	<b>+1.08</b>	<b>+0.88</b>	<b>+1.02</b>
Acc	69%	67%	67%	68%	57%	72%	59%	73%	63%	64%	60%
Perc	7	4	41	48	29	13	57	83	89	27	46

AJC J45 SV  
**SIRE: NXOQ654 AJC Q654 SV**  
 AJC N761 #  
 AJC M53 SV  
**DAM: NXOR676 AJC R676 SV**  
 AJC L673 #

**Purchaser:** .....  
 \$ .....

**Selection Indexes**

\$A	\$A-L
<b>\$309</b>	<b>1</b>
<b>\$505</b>	<b>1</b>

Traits Observed: GL, CE, BWT, 200WT, 400WT, 600WT, SC, Genomics

**Lot 16** **AJC T123 PV** **NXO22T123**

Date of Birth: 04/07/2022 Register: APR Mating Type: Natural AMF,CAF,DDF,NHF

**Mid April 2024 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
<b>EBV</b>	<b>+4.7</b>	<b>+7.8</b>	<b>-6.1</b>	<b>+2.1</b>	<b>+52</b>	<b>+102</b>	<b>+121</b>	<b>+99</b>	<b>+15</b>	<b>+5.1</b>	<b>-9.6</b>
Acc	66%	55%	82%	83%	84%	82%	82%	79%	75%	79%	39%
Perc	28	7	24	14	45	23	45	55	65	1	1
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
<b>EBV</b>	<b>+65</b>	<b>+9.1</b>	<b>+2.7</b>	<b>+3.2</b>	<b>-0.2</b>	<b>+3.9</b>	<b>+0.63</b>	<b>+4</b>	<b>+1.58</b>	<b>+1.22</b>	<b>+1.10</b>
Acc	71%	69%	69%	70%	59%	74%	61%	75%	53%	53%	51%
Perc	58	20	6	7	84	15	87	96	99	93	71

AJC P940 SV  
**SIRE: NXOR44 AJC R44 PV**  
 AJC P40 SV  
 AJC J45 SV  
**DAM: NXOQ65 AJC Q65 SV**  
 AJC N184 #

**Purchaser:** .....  
 \$ .....

**Selection Indexes**

\$A	\$A-L
<b>\$282</b>	<b>1</b>
<b>\$469</b>	<b>1</b>

Traits Observed: BWT, 200WT, 400WT, 600WT, SC, Genomics

**Lot 17** **AJC T11 PV** **NXO22T11**

Date of Birth: 11/06/2022 Register: APR Mating Type: AI AMFU,CAFU,DDFU,NHFU

**Mid April 2024 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
<b>EBV</b>	<b>+6.0</b>	<b>+5.5</b>	<b>-5.8</b>	<b>+2.9</b>	<b>+69</b>	<b>+128</b>	<b>+173</b>	<b>+170</b>	<b>+22</b>	<b>+3.7</b>	<b>-5.9</b>
Acc	67%	56%	83%	82%	83%	82%	82%	78%	74%	80%	43%
Perc	18	24	28	26	2	1	1	1	15	9	21
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
<b>EBV</b>	<b>+103</b>	<b>+5.9</b>	<b>+0.4</b>	<b>-1.0</b>	<b>-0.1</b>	<b>+4.6</b>	<b>+0.07</b>	<b>+18</b>	<b>+1.06</b>	<b>+1.04</b>	<b>+1.12</b>
Acc	71%	70%	70%	71%	61%	75%	62%	77%	64%	65%	63%
Perc	1	55	37	61	81	7	34	63	87	66	76

G A R TWINHEARTS 8418 SV  
**SIRE: VHGP64 CONNAMARA P64 SV**  
 CONNAMARA J8 #  
 AJC J45 SV  
**DAM: NXOR61 AJC R61 PV**  
 AJC P116 SV

**Selection Indexes**

Traits Observed: GL, CE, BWT, 200WT, 400WT, 600WT, SC, Genomics

\$A	\$A-L
\$269	3
\$496	1

**Purchaser:** .....  
 \$ .....

**Lot 18** **AJC T189 PV** **NXO22T189**

Date of Birth: 11/07/2022 Register: APR Mating Type: Natural AMF,CAF,DDF,NHF

**Mid April 2024 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
<b>EBV</b>	<b>+2.3</b>	<b>+6.7</b>	<b>-4.2</b>	<b>+5.1</b>	<b>+60</b>	<b>+115</b>	<b>+160</b>	<b>+165</b>	<b>+17</b>	<b>+3.9</b>	<b>-8.5</b>
Acc	65%	55%	82%	82%	83%	81%	81%	78%	74%	78%	40%
Perc	50	14	53	74	15	5	2	2	51	7	2
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
<b>EBV</b>	<b>+98</b>	<b>+12.2</b>	<b>-0.5</b>	<b>-2.1</b>	<b>+1.0</b>	<b>+4.0</b>	<b>+0.34</b>	<b>+7</b>	<b>+1.04</b>	<b>+1.00</b>	<b>+1.08</b>
Acc	70%	68%	68%	70%	59%	74%	61%	74%	54%	54%	53%
Perc	2	5	58	79	20	13	64	93	85	56	66

AJC N162 SV  
**SIRE: NXOR532 AJC R532 SV**  
 AJC M1007 #  
 AJC J45 SV  
**DAM: NXOP696 AJC P696 SV**  
 AJC M1059 #

**Selection Indexes**

Traits Observed: BWT, 200WT, 400WT, 600WT, SC, Genomics

\$A	\$A-L
\$273	2
\$495	1

**Purchaser:** .....  
 \$ .....

**Lot 19** **AJC T186 PV** **NXO22T186**

Date of Birth: 11/07/2022 Register: APR Mating Type: Natural AMFU,CAFU,DDF,NHFU

**Mid April 2024 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
<b>EBV</b>	<b>+6.9</b>	<b>+8.1</b>	<b>-5.2</b>	<b>+1.4</b>	<b>+47</b>	<b>+85</b>	<b>+116</b>	<b>+71</b>	<b>+27</b>	<b>+2.8</b>	<b>-8.1</b>
Acc	65%	54%	82%	82%	83%	81%	82%	78%	74%	78%	38%
Perc	12	6	37	8	70	70	57	90	3	27	3
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
<b>EBV</b>	<b>+57</b>	<b>+9.3</b>	<b>+2.0</b>	<b>+2.3</b>	<b>-0.4</b>	<b>+5.9</b>	<b>+0.96</b>	<b>+12</b>	<b>+1.38</b>	<b>+1.22</b>	<b>+0.88</b>
Acc	70%	68%	68%	69%	58%	74%	60%	74%	57%	57%	54%
Perc	78	19	11	12	90	2	98	83	99	93	11

AJC P940 SV  
**SIRE: NXOR44 AJC R44 PV**  
 AJC P40 SV  
 TOPBOS COMPOSURE J91 N448 PV  
**DAM: NXOQ705 AJC Q705 SV**  
 AJC N971 #

**Selection Indexes**

Traits Observed: BWT, 200WT, 400WT, 600WT, SC, Genomics

\$A	\$A-L
\$280	1
\$436	3

**Purchaser:** .....  
 \$ .....

**Lot 20** **AJC T689 PV** **NXO22T689**

Date of Birth: 07/08/2022 Register: APR Mating Type: Natural AMF,CAFU,DDFU,NHFU

**Mid April 2024 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
<b>EBV</b>	<b>+3.7</b>	<b>+6.9</b>	<b>-3.5</b>	<b>+5.7</b>	<b>+56</b>	<b>+102</b>	<b>+128</b>	<b>+105</b>	<b>+22</b>	<b>+4.2</b>	<b>-8.8</b>
Acc	65%	55%	82%	82%	83%	81%	81%	78%	74%	78%	40%
Perc	37	13	65	84	27	23	31	45	15	5	1
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
<b>EBV</b>	<b>+72</b>	<b>+5.2</b>	<b>+0.2</b>	<b>-0.1</b>	<b>+0.4</b>	<b>+3.2</b>	<b>+0.28</b>	<b>+24</b>	<b>+0.92</b>	<b>+0.92</b>	<b>+0.90</b>
Acc	70%	68%	68%	70%	58%	74%	61%	74%	54%	56%	54%
Perc	37	64	41	45	54	26	58	36	66	36	14

AJC N255 SV  
**SIRE: NXOQ653 AJC Q653 SV**  
 AJC N959 #  
 AJC K138 SV  
**DAM: NXOP521 AJC P521 SV**  
 AJC H47 #

**Selection Indexes**

Traits Observed: BWT, 200WT, 400WT, 600WT, SC, Genomics

\$A	\$A-L
\$268	3
\$445	2

**Purchaser:** .....  
 \$ .....

**Lot 21** **AJC T730 PV** **NXO22T730**

Date of Birth: 09/08/2022 Register: APR Mating Type: Natural AMFU,CAFU,DDF,NHFU

**Mid April 2024 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
<b>EBV</b>	<b>+3.2</b>	<b>+8.5</b>	<b>-1.3</b>	<b>+1.8</b>	<b>+50</b>	<b>+92</b>	<b>+125</b>	<b>+85</b>	<b>+25</b>	<b>+1.2</b>	<b>-5.6</b>
Acc	64%	55%	81%	82%	83%	81%	81%	77%	74%	78%	39%
Perc	42	5	90	11	53	50	36	76	6	82	27
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
<b>EBV</b>	<b>+77</b>	<b>+12.2</b>	<b>+1.3</b>	<b>+0.5</b>	<b>-0.1</b>	<b>+6.6</b>	<b>+1.10</b>	<b>+10</b>	<b>+1.08</b>	<b>+1.16</b>	<b>+1.14</b>
Acc	69%	68%	68%	69%	58%	73%	60%	74%	59%	59%	56%
Perc	23	5	20	34	81	1	99	88	89	87	81

AJC J45 SV  
**SIRE: NXOR93 AJC R93 PV**  
 AJC P130 SV  
 AJC K137 SV  
**DAM: NXOQ779 AJC Q779 SV**  
 AJC M694 #

**Selection Indexes**

Traits Observed: BWT, 200WT, 400WT, 600WT, SC, Genomics

\$A	\$A-L
\$272	2
\$423	6

**Purchaser:** .....  
 \$ .....

**Lot 22** **AJC T198 PV** **NXO22T198**

Date of Birth: 11/07/2022 Register: APR Mating Type: AI AMFU,CAFU,DDF,NHFU

**Mid April 2024 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
<b>EBV</b>	<b>+5.8</b>	<b>+6.9</b>	<b>-6.6</b>	<b>+4.7</b>	<b>+58</b>	<b>+103</b>	<b>+131</b>	<b>+130</b>	<b>+15</b>	<b>+0.6</b>	<b>-6.8</b>
Acc	65%	55%	82%	82%	83%	81%	82%	78%	73%	79%	41%
Perc	19	13	19	66	21	20	25	13	69	93	10
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
<b>EBV</b>	<b>+79</b>	<b>+6.8</b>	<b>-0.3</b>	<b>-0.3</b>	<b>+0.1</b>	<b>+5.4</b>	<b>+0.13</b>	<b>+22</b>	<b>+0.82</b>	<b>+0.86</b>	<b>+0.92</b>
Acc	70%	70%	69%	70%	61%	74%	61%	77%	65%	65%	63%
Perc	18	44	53	48	71	3	40	42	45	23	18

G A R TWINHEARTS 8418 SV  
**SIRE: VHGP64 CONNAMARA P64 SV**  
 CONNAMARA J8 #  
 AJC N695 SV  
**DAM: NXOR555 AJC R555 SV**  
 AJC M224 #

**Selection Indexes**

Traits Observed: GL, CE, BWT, 200WT, 400WT, 600WT, SC, Genomics

\$A	\$A-L
\$268	3
\$459	1

**Purchaser:** .....  
 \$ .....

**Lot 23** **AJC T857 SV** **NXO22T857**

Date of Birth: 23/08/2022 Register: APR Mating Type: Natural AMFU,CAFU,DDFU,NHFU

**Mid April 2024 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
<b>EBV</b>	<b>+8.6</b>	<b>+11.0</b>	<b>-6.9</b>	<b>+2.4</b>	<b>+45</b>	<b>+89</b>	<b>+124</b>	<b>+96</b>	<b>+20</b>	<b>+2.5</b>	<b>-9.6</b>
Acc	66%	55%	82%	82%	83%	81%	81%	78%	74%	79%	40%
Perc	4	1	16	18	76	58	38	60	28	36	1
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
<b>EBV</b>	<b>+68</b>	<b>+7.7</b>	<b>-0.3</b>	<b>-2.0</b>	<b>+1.2</b>	<b>+4.3</b>	<b>+0.40</b>	<b>+1</b>	<b>+0.88</b>	<b>+0.76</b>	<b>+0.78</b>
Acc	70%	68%	68%	69%	58%	73%	60%	73%	57%	57%	56%
Perc	47	33	53	77	12	10	70	99	57	9	3

AJC J45 SV  
**SIRE: NXOQ654 AJC Q654 SV**  
 AJC N761 #  
 AJC J245 SV  
**DAM: NXOM529 AJC M529 #**  
 AJC G13 #

**Selection Indexes**

Traits Observed: BWT, 200WT, 400WT, 600WT, SC, Genomics

\$A	\$A-L
\$281	1
\$463	1

**Purchaser:** .....  
 \$ .....

**Lot 24** **AJC T32 PV** **NXO22T32**

Date of Birth: 18/06/2022 Register: APR Mating Type: Natural AMF,CAF,DDF,NHF

**Mid April 2024 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
<b>EBV</b>	<b>+7.4</b>	<b>+3.6</b>	<b>-5.3</b>	<b>+1.9</b>	<b>+57</b>	<b>+107</b>	<b>+132</b>	<b>+113</b>	<b>+21</b>	<b>+2.8</b>	<b>-6.0</b>
Acc	65%	55%	82%	82%	83%	81%	81%	78%	75%	79%	39%
Perc	9	45	35	12	23	13	24	32	21	27	20
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
<b>EBV</b>	<b>+83</b>	<b>+9.5</b>	<b>+1.3</b>	<b>+0.7</b>	<b>+0.2</b>	<b>+5.6</b>	<b>+0.58</b>	<b>+14</b>	<b>+1.08</b>	<b>+0.98</b>	<b>+1.18</b>
Acc	71%	69%	69%	70%	59%	74%	62%	74%	57%	59%	56%
Perc	13	17	20	31	66	2	84	76	89	51	88

GATES MENTOR M9 SV  
**SIRE: NXOQ80 AJC Q80 SV**  
 AJC N3 #  
 AJC P293 SV  
**DAM: NXOR402 AJC R402 PV**  
 AJC P732 SV

**Selection Indexes**

Traits Observed: CE, BWT, 200WT, 400WT, 600WT, SC, Genomics

\$A	\$A-L
\$278	2
\$460	1

**Purchaser:** .....  
 \$ .....

**Lot 25** **AJC T443 PV** **NXO22T443**

Date of Birth: 23/07/2022 Register: APR Mating Type: Natural AMFU,CAFU,DDF,NHFU

**Mid April 2024 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
<b>EBV</b>	<b>+3.6</b>	<b>+7.6</b>	<b>-1.1</b>	<b>+4.7</b>	<b>+60</b>	<b>+95</b>	<b>+128</b>	<b>+96</b>	<b>+19</b>	<b>+1.8</b>	<b>-5.5</b>
Acc	65%	55%	81%	82%	83%	81%	81%	78%	74%	79%	40%
Perc	38	8	91	66	14	40	32	60	31	62	29
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
<b>EBV</b>	<b>+73</b>	<b>+10.8</b>	<b>-1.8</b>	<b>-1.2</b>	<b>+0.7</b>	<b>+4.2</b>	<b>+0.27</b>	<b>+6</b>	<b>+1.26</b>	<b>+1.20</b>	<b>+1.04</b>
Acc	70%	68%	68%	69%	58%	73%	60%	74%	59%	59%	57%
Perc	32	10	84	65	35	11	57	95	99	91	53

AJC K102<sup>SV</sup>  
**SIRE: NXOP940 AJC P940<sup>SV</sup>**  
 AJC K39 #  
 AJC K138<sup>SV</sup>  
**DAM: NXOQ830 AJC Q830<sup>SV</sup>**  
 AJC L302 #

**Selection Indexes**

\$A	\$A-L
\$274	2
\$429	4

Traits Observed: BWT, 200WT, 400WT, 600WT, SC, Genomics  
 Purchaser: .....  
 \$ .....

**Lot 26** **AJC T850 PV** **NXO22T850**

Date of Birth: 22/08/2022 Register: APR Mating Type: Natural AMF,CAF,DDF,NHF

**Mid April 2024 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
<b>EBV</b>	<b>+5.1</b>	<b>+7.1</b>	<b>-4.8</b>	<b>+2.6</b>	<b>+52</b>	<b>+95</b>	<b>+134</b>	<b>+97</b>	<b>+26</b>	<b>+2.9</b>	<b>-8.7</b>
Acc	65%	55%	82%	82%	83%	81%	82%	78%	74%	79%	39%
Perc	25	11	43	21	43	43	20	59	4	24	2
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
<b>EBV</b>	<b>+73</b>	<b>+6.8</b>	<b>-1.8</b>	<b>-2.3</b>	<b>+0.1</b>	<b>+5.0</b>	<b>+0.46</b>	<b>+10</b>	<b>+1.02</b>	<b>+1.16</b>	<b>+1.08</b>
Acc	70%	68%	68%	70%	59%	74%	61%	75%	57%	57%	54%
Perc	32	44	84	81	71	5	76	87	82	87	66

AJC K102<sup>SV</sup>  
**SIRE: NXOP940 AJC P940<sup>SV</sup>**  
 AJC K39 #  
 TOPBOS COMPOSURE J91 N448<sup>PV</sup>  
**DAM: NXOQ107 AJC Q107<sup>SV</sup>**  
 AJC N243 #

**Selection Indexes**

\$A	\$A-L
\$271	2
\$441	3

Traits Observed: BWT, 200WT, 400WT, 600WT, SC, Genomics  
 Purchaser: .....  
 \$ .....

**Lot 27** **AJC T511 SV** **NXO22T511**

Date of Birth: 26/07/2022 Register: APR Mating Type: Natural AMF,CAF,DDF,NHF

**Mid April 2024 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
<b>EBV</b>	<b>+8.7</b>	<b>+7.6</b>	<b>-6.7</b>	<b>+2.2</b>	<b>+55</b>	<b>+92</b>	<b>+120</b>	<b>+91</b>	<b>+17</b>	<b>+2.1</b>	<b>-8.9</b>
Acc	65%	56%	82%	82%	83%	81%	81%	78%	74%	78%	44%
Perc	4	8	18	15	31	49	48	68	53	51	1
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
<b>EBV</b>	<b>+78</b>	<b>+5.5</b>	<b>-0.6</b>	<b>-0.8</b>	<b>+0.5</b>	<b>+2.6</b>	<b>-0.26</b>	<b>+16</b>	<b>+0.98</b>	<b>+0.70</b>	<b>+1.02</b>
Acc	71%	70%	69%	71%	60%	75%	63%	75%	60%	60%	59%
Perc	22	60	60	58	47	39	9	68	76	4	46

AJC L99<sup>PV</sup>  
**SIRE: NXOP289 AJC P289<sup>SV</sup>**  
 AJC K96 #  
 G A R PROPHET<sup>SV</sup>  
**DAM: NXOK32 AJC K32 #**  
 AJC H18 #

**Selection Indexes**

\$A	\$A-L
\$269	3
\$440	3

Traits Observed: BWT, 200WT, 400WT, 600WT, SC, Genomics  
 Purchaser: .....  
 \$ .....

**Lot 28** **AJC T449 SV** **NXO22T449**

Date of Birth: 23/07/2022 Register: APR Mating Type: Natural AMFU,CAFU,DDFU,NHFU

**Mid April 2024 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
<b>EBV</b>	<b>+2.0</b>	<b>+6.3</b>	<b>-3.7</b>	<b>+2.5</b>	<b>+52</b>	<b>+94</b>	<b>+122</b>	<b>+83</b>	<b>+18</b>	<b>+1.5</b>	<b>-5.8</b>
Acc	65%	55%	82%	82%	83%	81%	81%	78%	74%	78%	39%
Perc	53	17	62	19	45	44	44	79	39	73	23
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
<b>EBV</b>	<b>+83</b>	<b>+11.7</b>	<b>-1.0</b>	<b>-1.5</b>	<b>+1.1</b>	<b>+3.9</b>	<b>+0.03</b>	<b>+21</b>	<b>+1.18</b>	<b>+1.10</b>	<b>+1.16</b>
Acc	70%	68%	68%	69%	59%	73%	60%	74%	56%	56%	53%
Perc	13	6	69	70	16	15	30	49	96	78	85

AJC J45<sup>SV</sup>  
**SIRE: NXOP817 AJC P817<sup>SV</sup>**  
 AJC M511 #  
 AJC K137<sup>SV</sup>  
**DAM: NXON1082 AJC N1082 #**  
 AJC K726 #

**Selection Indexes**

\$A	\$A-L
\$268	3
\$412	9

Traits Observed: BWT, 200WT, 400WT, 600WT, SC, Genomics  
 Purchaser: .....  
 \$ .....

**Lot 29** **AJC T97 PV** **NXO22T97**

Date of Birth: 29/06/2022 Register: APR Mating Type: Natural AMFU,CAFU,DDFU,NHFU

**Mid April 2024 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
<b>EBV</b>	<b>-0.1</b>	<b>-2.1</b>	<b>-7.8</b>	<b>+7.0</b>	<b>+72</b>	<b>+126</b>	<b>+169</b>	<b>+139</b>	<b>+26</b>	<b>+5.5</b>	<b>-9.7</b>
Acc	66%	55%	82%	82%	83%	81%	82%	78%	74%	79%	40%
Perc	70	90	9	96	1	1	1	8	4	1	1
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
<b>EBV</b>	<b>+97</b>	<b>+6.8</b>	<b>-1.9</b>	<b>-3.1</b>	<b>+0.5</b>	<b>+2.5</b>	<b>-0.24</b>	<b>+15</b>	<b>+1.38</b>	<b>+1.12</b>	<b>+0.76</b>
Acc	71%	69%	69%	70%	59%	74%	62%	75%	60%	60%	56%
Perc	2	44	86	89	47	42	10	72	99	81	2

AJC P940 SV  
**SIRE: NXOR44 AJC R44 PV**  
 AJC P40 SV  
 AJC L99 PV  
**DAM: NXOR50 AJC R50 PV**  
 AJC P529 SV

**Selection Indexes**

\$A	\$A-L
<b>\$288</b>	<b>\$482</b>

Traits Observed: CE, BWT, 200WT, 400WT, 600WT, SC, Genomics

**Purchaser:** .....  
 \$ .....

**Lot 30** **AJC T306 PV** **NXO22T306**

Date of Birth: 16/07/2022 Register: APR Mating Type: AI AMFU,CAFU,DDFU,NHFU

**Mid April 2024 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
<b>EBV</b>	<b>+6.6</b>	<b>+4.6</b>	<b>-5.0</b>	<b>+4.4</b>	<b>+74</b>	<b>+132</b>	<b>+178</b>	<b>+170</b>	<b>+21</b>	<b>+1.9</b>	<b>-6.2</b>
Acc	65%	54%	82%	82%	83%	81%	81%	77%	73%	79%	40%
Perc	14	34	40	59	1	1	1	1	20	58	17
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
<b>EBV</b>	<b>+110</b>	<b>+2.6</b>	<b>-0.1</b>	<b>+0.8</b>	<b>-1.0</b>	<b>+5.2</b>	<b>+0.07</b>	<b>+15</b>	<b>+1.16</b>	<b>+0.92</b>	<b>+1.08</b>
Acc	70%	69%	69%	70%	60%	74%	60%	76%	67%	68%	65%
Perc	1	88	48	30	98	4	34	74	95	36	66

G A R TWINHEARTS 8418 SV  
**SIRE: VHGP64 CONNAMARA P64 SV**  
 CONNAMARA J8 #  
 AJC P940 SV  
**DAM: NXOR56 AJC R56 PV**  
 AJC P454 SV

**Selection Indexes**

\$A	\$A-L
<b>\$281</b>	<b>\$510</b>

Traits Observed: GL, CE, BWT, 200WT, 400WT, 600WT, SC, Genomics

**Purchaser:** .....  
 \$ .....

**Lot 31** **AJC T585 PV** **NXO22T585**

Date of Birth: 30/07/2022 Register: APR Mating Type: AI AMFU,CAFU,DDFU,NHFU

**Mid April 2024 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
<b>EBV</b>	<b>+10.7</b>	<b>+7.9</b>	<b>-6.1</b>	<b>+2.4</b>	<b>+57</b>	<b>+101</b>	<b>+148</b>	<b>+110</b>	<b>+29</b>	<b>+2.1</b>	<b>-4.4</b>
Acc	66%	56%	83%	82%	83%	81%	82%	78%	74%	79%	42%
Perc	1	7	24	18	23	24	6	36	2	51	55
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
<b>EBV</b>	<b>+87</b>	<b>+12.0</b>	<b>-1.2</b>	<b>-2.0</b>	<b>+1.7</b>	<b>+2.5</b>	<b>-0.17</b>	<b>+19</b>	<b>+0.94</b>	<b>+1.02</b>	<b>+1.14</b>
Acc	71%	70%	70%	71%	61%	75%	62%	77%	66%	66%	64%
Perc	8	6	73	77	3	42	13	58	69	61	81

G A R TWINHEARTS 8418 SV  
**SIRE: VHGP64 CONNAMARA P64 SV**  
 CONNAMARA J8 #  
 AJC E91 PV  
**DAM: NXOR487 AJC R487 PV**  
 AJC P569 SV

**Selection Indexes**

\$A	\$A-L
<b>\$266</b>	<b>\$437</b>

Traits Observed: GL, CE, BWT, 200WT, 400WT, 600WT, SC, Genomics

**Purchaser:** .....  
 \$ .....

**Lot 32** **AJC T177 SV** **NXO22T177**

Date of Birth: 10/07/2022 Register: APR Mating Type: Natural AMFU,CAFU,DDF,NHFU

**Mid April 2024 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
<b>EBV</b>	<b>+3.9</b>	<b>+9.7</b>	<b>-2.7</b>	<b>+3.5</b>	<b>+55</b>	<b>+92</b>	<b>+116</b>	<b>+99</b>	<b>+13</b>	<b>+3.1</b>	<b>-8.7</b>
Acc	65%	55%	82%	82%	83%	81%	82%	78%	75%	78%	44%
Perc	35	2	76	38	31	50	56	55	82	19	2
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
<b>EBV</b>	<b>+71</b>	<b>+9.5</b>	<b>-1.7</b>	<b>+0.6</b>	<b>+1.0</b>	<b>+1.9</b>	<b>+0.05</b>	<b>+20</b>	<b>+1.08</b>	<b>+0.90</b>	<b>+0.92</b>
Acc	74%	73%	71%	74%	64%	77%	66%	75%	65%	65%	61%
Perc	38	17	82	33	20	58	32	51	89	32	18

AJC F43 SV  
**SIRE: NXOL172 AJC L172 SV**  
 AJC J432 #  
 AJC J156 SV  
**DAM: NXOL720 AJC L720 #**  
 AJC H73 #

**Selection Indexes**

\$A	\$A-L
<b>\$269</b>	<b>\$442</b>

Traits Observed: BWT, 200WT, 400WT, 600WT, SC, Genomics

**Purchaser:** .....  
 \$ .....

**Lot 33** **AJC T163 PV** **NXO22T163**

Date of Birth: 09/07/2022 Register: APR Mating Type: Natural AMF,CAFU,DDFU,NHFU

**Mid April 2024 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
<b>EBV</b>	<b>+5.0</b>	<b>+8.8</b>	<b>-6.4</b>	<b>+4.7</b>	<b>+62</b>	<b>+114</b>	<b>+151</b>	<b>+131</b>	<b>+18</b>	<b>+4.0</b>	<b>-6.1</b>
Acc	64%	55%	82%	81%	83%	81%	81%	78%	74%	78%	42%
Perc	25	4	21	66	9	5	5	13	40	6	18
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
<b>EBV</b>	<b>+87</b>	<b>+10.8</b>	<b>-1.3</b>	<b>-2.1</b>	<b>+0.7</b>	<b>+3.1</b>	<b>+1.01</b>	<b>+26</b>	<b>+0.92</b>	<b>+0.68</b>	<b>+0.96</b>
Acc	71%	70%	69%	71%	60%	75%	63%	75%	60%	60%	59%
Perc	7	10	75	79	35	28	98	29	66	3	28

RENNYLEA H708 PV  
**SIRE: NXOQ332 AJC Q332 SV**  
 AJC L890 #

GATES MENTOR M9 SV  
**DAM: NXOQ673 AJC Q673 SV**  
 AJC L81 #

**Selection Indexes**

Traits Observed: BWT, 200WT, 400WT, 600WT, SC, Genomics

\$A	\$A-L
\$268	3
\$464	1

Purchaser: .....  
 \$ .....

**Lot 34** **AJC T64 PV** **NXO22T64**

Date of Birth: 23/06/2022 Register: APR Mating Type: Natural AMFU,CAFU,DDF,NHFU

**Mid April 2024 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
<b>EBV</b>	<b>+5.3</b>	<b>+1.5</b>	<b>-5.2</b>	<b>+4.1</b>	<b>+62</b>	<b>+115</b>	<b>+155</b>	<b>+128</b>	<b>+17</b>	<b>+1.5</b>	<b>-4.0</b>
Acc	66%	55%	81%	82%	83%	81%	81%	78%	74%	78%	43%
Perc	23	67	37	52	10	5	3	15	49	73	65
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
<b>EBV</b>	<b>+87</b>	<b>+12.0</b>	<b>-0.1</b>	<b>-0.4</b>	<b>+0.0</b>	<b>+4.5</b>	<b>-0.07</b>	<b>+34</b>	<b>+1.30</b>	<b>+1.14</b>	<b>+1.04</b>
Acc	71%	70%	69%	71%	61%	75%	64%	75%	61%	61%	60%
Perc	8	6	48	50	76	8	21	8	99	84	53

RENNYLEA H708 PV  
**SIRE: NXOQ736 AJC Q736 SV**  
 AJC K121 #

AJC L172 SV  
**DAM: NXOR16 AJC R16 PV**  
 AJC P976 SV

**Selection Indexes**

Traits Observed: CE, BWT, 200WT, 400WT, 600WT, SC, Genomics

\$A	\$A-L
\$262	4
\$441	3

Purchaser: .....  
 \$ .....

**Lot 35** **AJC T82 PV** **NXO22T82**

Date of Birth: 25/06/2022 Register: APR Mating Type: AI AMFU,CAFU,DDFU,NHFU

**Mid April 2024 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
<b>EBV</b>	<b>+6.0</b>	<b>+10.6</b>	<b>-9.1</b>	<b>+3.4</b>	<b>+61</b>	<b>+116</b>	<b>+145</b>	<b>+124</b>	<b>+20</b>	<b>+3.3</b>	<b>-6.4</b>
Acc	65%	54%	81%	81%	82%	80%	81%	77%	74%	78%	39%
Perc	18	1	4	36	11	4	8	19	25	15	14
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
<b>EBV</b>	<b>+82</b>	<b>+12.9</b>	<b>-2.1</b>	<b>-3.1</b>	<b>+1.9</b>	<b>+1.2</b>	<b>+0.35</b>	<b>+10</b>	<b>+0.78</b>	<b>+0.78</b>	<b>+0.98</b>
Acc	69%	67%	67%	68%	57%	72%	59%	73%	63%	63%	60%
Perc	14	4	88	89	2	77	65	87	36	11	34

AJC J45 SV  
**SIRE: NXOQ654 AJC Q654 SV**  
 AJC N761 #

AJC M769 SV  
**DAM: NXOR753 AJC R753 SV**  
 AJC L107 #

**Selection Indexes**

Traits Observed: GL, CE, BWT, 200WT, 400WT, 600WT, SC, Genomics

\$A	\$A-L
\$280	1
\$477	1

Purchaser: .....  
 \$ .....

**Lot 36** **AJC T117 PV** **NXO22T117**

Date of Birth: 03/07/2022 Register: APR Mating Type: Natural AMFU,CAFU,DDF,NHFU

**Mid April 2024 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
<b>EBV</b>	<b>+3.9</b>	<b>+8.1</b>	<b>-3.6</b>	<b>+2.0</b>	<b>+46</b>	<b>+86</b>	<b>+113</b>	<b>+87</b>	<b>+23</b>	<b>+2.3</b>	<b>-9.5</b>
Acc	66%	56%	82%	82%	83%	81%	82%	78%	75%	79%	40%
Perc	35	6	63	13	73	69	63	74	11	43	1
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
<b>EBV</b>	<b>+65</b>	<b>+6.7</b>	<b>+1.6</b>	<b>-0.2</b>	<b>-0.3</b>	<b>+6.5</b>	<b>+0.70</b>	<b>+11</b>	<b>+1.04</b>	<b>+1.08</b>	<b>+1.22</b>
Acc	70%	69%	68%	70%	59%	74%	61%	75%	54%	54%	53%
Perc	56	45	16	47	87	1	91	85	85	74	93

AJC J45 SV  
**SIRE: NXOR93 AJC R93 PV**  
 AJC P130 SV

AJC J45 SV  
**DAM: NXOQ39 AJC Q39 PV**  
 AJC N466 SV

**Selection Indexes**

Traits Observed: BWT, 200WT, 400WT, 600WT, SC, Genomics

\$A	\$A-L
\$271	2
\$435	3

Purchaser: .....  
 \$ .....

**Lot 37** **AJC T805 PV** **NXO22T805**

Date of Birth: 16/08/2022 Register: APR Mating Type: Natural AMF,CAF,DDF,NHF

**Mid April 2024 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
<b>EBV</b>	<b>+0.4</b>	<b>+8.5</b>	<b>-2.3</b>	<b>+6.5</b>	<b>+74</b>	<b>+129</b>	<b>+173</b>	<b>+154</b>	<b>+21</b>	<b>+3.6</b>	<b>-7.0</b>
Acc	65%	54%	81%	82%	83%	81%	81%	77%	74%	78%	39%
Perc	66	5	81	92	1	1	1	3	21	10	8
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
<b>EBV</b>	<b>+114</b>	<b>+8.7</b>	<b>-3.8</b>	<b>-4.7</b>	<b>+1.2</b>	<b>+2.6</b>	<b>+0.17</b>	<b>-6</b>	<b>+1.34</b>	<b>+0.96</b>	<b>+1.14</b>
Acc	69%	67%	67%	68%	58%	73%	59%	73%	59%	59%	57%
Perc	1	24	98	97	12	39	45	99	99	46	81

AJC K102 SV  
**SIRE: NXOP940 AJC P940 SV**  
 AJC K39 #  
 AJC J45 SV  
**DAM: NXOP183 AJC P183 SV**  
 AJC M1011 #

**Selection Indexes**

\$A	\$A-L
<b>\$289</b>	<b>\$495</b>

Traits Observed: BWT, 200WT, 400WT, 600WT, SC, Genomics

**Purchaser:** .....  
 \$ .....

**Lot 38** **AJC T1041 SV** **NXO22T1041**

Date of Birth: 15/09/2022 Register: APR Mating Type: Natural AMFU,CAFU,DDFU,NHFU

**Mid April 2024 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
<b>EBV</b>	<b>+7.7</b>	<b>+8.8</b>	<b>-1.8</b>	<b>+3.2</b>	<b>+49</b>	<b>+89</b>	<b>+112</b>	<b>+92</b>	<b>+14</b>	<b>+3.3</b>	<b>-9.7</b>
Acc	65%	56%	82%	82%	83%	81%	82%	79%	75%	79%	42%
Perc	8	4	86	32	60	60	65	66	74	15	1
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
<b>EBV</b>	<b>+74</b>	<b>+4.2</b>	<b>+0.5</b>	<b>+0.1</b>	<b>+0.2</b>	<b>+3.8</b>	<b>-0.25</b>	<b>+20</b>	<b>+1.14</b>	<b>+0.96</b>	<b>+0.92</b>
Acc	72%	70%	70%	71%	61%	75%	63%	75%	56%	56%	53%
Perc	31	75	34	41	66	16	9	52	94	46	18

AJC L99 PV  
**SIRE: NXOP289 AJC P289 SV**  
 AJC K96 #  
 AJC K317 SV  
**DAM: NXON479 AJC N479 #**  
 AJC J47 #

**Selection Indexes**

\$A	\$A-L
<b>\$263</b>	<b>\$440</b>

Traits Observed: BWT, 200WT, 400WT, 600WT, SC, Genomics

**Purchaser:** .....  
 \$ .....

**Lot 39** **AJC T962 SV** **NXO22T962**

Date of Birth: 04/09/2022 Register: APR Mating Type: Natural AMF,CAFU,DDFU,NHFU

**Mid April 2024 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
<b>EBV</b>	<b>+8.9</b>	<b>+9.4</b>	<b>-5.7</b>	<b>+1.1</b>	<b>+46</b>	<b>+89</b>	<b>+118</b>	<b>+88</b>	<b>+20</b>	<b>+2.9</b>	<b>-5.4</b>
Acc	65%	55%	82%	82%	83%	81%	81%	78%	74%	78%	40%
Perc	4	2	30	6	72	59	52	72	28	24	31
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
<b>EBV</b>	<b>+65</b>	<b>+16.4</b>	<b>+1.1</b>	<b>+0.0</b>	<b>+1.7</b>	<b>+3.1</b>	<b>+0.37</b>	<b>+7</b>	<b>+1.12</b>	<b>+1.12</b>	<b>+1.06</b>
Acc	70%	68%	68%	70%	59%	74%	61%	74%	60%	60%	57%
Perc	56	1	23	43	3	28	67	93	92	81	59

AJC J45 SV  
**SIRE: NXOP817 AJC P817 SV**  
 AJC M511 #  
 W H S LIMELIGHT 64V #  
**DAM: NXOL81 AJC L81 #**  
 AJC J153 #

**Selection Indexes**

\$A	\$A-L
<b>\$265</b>	<b>\$428</b>

Traits Observed: BWT, 200WT, 400WT, 600WT, SC, Genomics

**Purchaser:** .....  
 \$ .....

**Lot 40** **AJC T485 PV** **NXO22T485**

Date of Birth: 24/07/2022 Register: APR Mating Type: Natural AMFU,CAFU,DDF,NHFU

**Mid April 2024 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
<b>EBV</b>	<b>-1.3</b>	<b>+4.3</b>	<b>-4.3</b>	<b>+4.5</b>	<b>+61</b>	<b>+110</b>	<b>+139</b>	<b>+134</b>	<b>+13</b>	<b>+3.3</b>	<b>-9.5</b>
Acc	66%	54%	82%	82%	83%	82%	82%	78%	74%	79%	39%
Perc	78	37	52	62	11	9	14	10	80	15	1
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
<b>EBV</b>	<b>+71</b>	<b>+7.0</b>	<b>+1.4</b>	<b>+1.1</b>	<b>+0.3</b>	<b>+2.2</b>	<b>+0.36</b>	<b>+9</b>	<b>+1.32</b>	<b>+1.12</b>	<b>+0.98</b>
Acc	70%	69%	68%	70%	58%	74%	61%	75%	56%	56%	53%
Perc	38	41	18	25	60	50	66	89	99	81	34

AJC P940 SV  
**SIRE: NXOR44 AJC R44 PV**  
 AJC P40 SV  
 TOPBOS COMPOSURE J91 N448 PV  
**DAM: NXOQ495 AJC Q495 SV**  
 AJC N918 #

**Selection Indexes**

\$A	\$A-L
<b>\$260</b>	<b>\$450</b>

Traits Observed: BWT, 200WT, 400WT, 600WT, SC, Genomics

**Purchaser:** .....  
 \$ .....

**Lot 41** **AJC T188 SV** **NXO22T188**

Date of Birth: 11/07/2022 Register: APR Mating Type: Natural AMFU,CAFU,DDFU,NHFU

**Mid April 2024 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
<b>EBV</b>	<b>+3.5</b>	<b>+5.0</b>	<b>-3.8</b>	<b>+4.9</b>	<b>+62</b>	<b>+110</b>	<b>+140</b>	<b>+130</b>	<b>+25</b>	<b>+2.7</b>	<b>-6.5</b>
Acc	64%	54%	81%	81%	82%	80%	81%	77%	73%	78%	39%
Perc	39	30	60	70	9	9	13	13	6	29	13
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
<b>EBV</b>	<b>+85</b>	<b>+10.9</b>	<b>-2.4</b>	<b>-3.0</b>	<b>+1.0</b>	<b>+2.8</b>	<b>+0.10</b>	<b>+20</b>	<b>+1.14</b>	<b>+1.16</b>	<b>+1.12</b>
Acc	69%	68%	67%	69%	58%	73%	60%	73%	59%	59%	57%
Perc	9	9	91	89	20	35	37	50	94	87	76

AJC N162 SV  
**SIRE: NXOR532 AJC R532 SV**  
 AJC M1007 #  
 AJC K138 SV  
**DAM: NXON28 AJC N28 #**  
 AJC L683 #

**Selection Indexes**

\$A	\$A-L
\$259	5
\$443	2

Traits Observed: BWT, 200WT, 400WT, 600WT, SC, Genomics

**Purchaser:** .....  
 \$ .....

**Lot 42** **AJC T1099 PV** **NXO22T1099**

Date of Birth: 25/09/2022 Register: APR Mating Type: Natural AMFU,CAFU,DDFU,NHFU

**Mid April 2024 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
<b>EBV</b>	<b>+5.5</b>	<b>+4.1</b>	<b>-2.1</b>	<b>+3.5</b>	<b>+53</b>	<b>+102</b>	<b>+138</b>	<b>+103</b>	<b>+24</b>	<b>+4.0</b>	<b>-5.6</b>
Acc	64%	54%	81%	82%	83%	81%	81%	78%	75%	78%	39%
Perc	21	40	83	38	42	23	14	48	8	6	27
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
<b>EBV</b>	<b>+86</b>	<b>+7.0</b>	<b>+0.6</b>	<b>+0.7</b>	<b>+0.0</b>	<b>+4.4</b>	<b>+0.89</b>	<b>+23</b>	<b>+1.34</b>	<b>+1.32</b>	<b>+1.10</b>
Acc	70%	68%	68%	69%	58%	73%	60%	73%	60%	60%	57%
Perc	9	41	32	31	76	9	96	38	99	98	71

AJC F615 SV  
**SIRE: NXON219 AJC N219 SV**  
 AJC H132 #  
 AJC M769 SV  
**DAM: NXOQ928 AJC Q928 SV**  
 AJC L889 #

**Selection Indexes**

\$A	\$A-L
\$251	8
\$418	7

Traits Observed: BWT, 200WT, 400WT, 600WT, SC, Genomics

**Purchaser:** .....  
 \$ .....

**Lot 43** **AJC T528 PV** **NXO22T528**

Date of Birth: 27/07/2022 Register: APR Mating Type: Natural AMFU,CAFU,DDF,NHFU

**Mid April 2024 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
<b>EBV</b>	<b>-2.3</b>	<b>+9.2</b>	<b>-3.5</b>	<b>+6.8</b>	<b>+56</b>	<b>+93</b>	<b>+137</b>	<b>+122</b>	<b>+21</b>	<b>+2.8</b>	<b>-8.1</b>
Acc	64%	54%	81%	81%	83%	80%	81%	77%	74%	78%	39%
Perc	83	3	65	95	28	46	16	20	21	27	3
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
<b>EBV</b>	<b>+76</b>	<b>+10.1</b>	<b>+0.6</b>	<b>-2.2</b>	<b>+0.8</b>	<b>+4.1</b>	<b>+0.04</b>	<b>+10</b>	<b>+0.90</b>	<b>+0.98</b>	<b>+1.10</b>
Acc	69%	68%	67%	69%	58%	73%	60%	74%	57%	57%	56%
Perc	25	13	32	80	29	12	31	89	62	51	71

AJC N162 SV  
**SIRE: NXOR532 AJC R532 SV**  
 AJC M1007 #  
 AJC K137 SV  
**DAM: NXOP859 AJC P859 SV**  
 AJC L847 #

**Selection Indexes**

\$A	\$A-L
\$251	8
\$417	7

Traits Observed: BWT, 200WT, 400WT, 600WT, SC, Genomics

**Purchaser:** .....  
 \$ .....

**Lot 44** **AJC T1042 PV** **NXO22T1042**

Date of Birth: 15/09/2022 Register: APR Mating Type: Natural AMFU,CAFU,DDFU,NHFU

**Mid April 2024 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
<b>EBV</b>	<b>+9.8</b>	<b>+9.2</b>	<b>-7.1</b>	<b>+1.2</b>	<b>+46</b>	<b>+92</b>	<b>+118</b>	<b>+62</b>	<b>+31</b>	<b>+0.5</b>	<b>-4.3</b>
Acc	66%	57%	82%	83%	84%	82%	82%	79%	75%	79%	40%
Perc	2	3	14	6	73	49	52	95	1	94	57
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
<b>EBV</b>	<b>+66</b>	<b>+2.4</b>	<b>+0.3</b>	<b>+0.3</b>	<b>-0.2</b>	<b>+4.9</b>	<b>+0.48</b>	<b>+14</b>	<b>+1.38</b>	<b>+1.32</b>	<b>+1.04</b>
Acc	71%	70%	69%	71%	60%	75%	63%	75%	56%	56%	53%
Perc	55	90	39	38	84	5	77	75	99	98	53

AJC N219 SV  
**SIRE: NXOR542 AJC R542 SV**  
 AJC N435 #  
 AJC K137 SV  
**DAM: NXOQ222 AJC Q222 SV**  
 AJC M93 #

**Selection Indexes**

\$A	\$A-L
\$245	11
\$381	25

Traits Observed: BWT, 200WT, 400WT, 600WT, SC, Genomics

**Purchaser:** .....  
 \$ .....



**Lot 45** **AJC T352 PV** **NXO22T352**

Date of Birth: 18/07/2022 Register: APR Mating Type: Natural AMFU,CAFU,DDF,NHFU

**Mid April 2024 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
<b>EBV</b>	<b>+6.2</b>	<b>+6.0</b>	<b>-5.3</b>	<b>+3.7</b>	<b>+55</b>	<b>+106</b>	<b>+135</b>	<b>+119</b>	<b>+24</b>	<b>+3.0</b>	<b>-6.2</b>
Acc	63%	53%	81%	81%	82%	80%	81%	77%	74%	78%	39%
Perc	16	20	35	43	31	15	18	24	7	21	17
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
<b>EBV</b>	<b>+84</b>	<b>+10.3</b>	<b>-2.1</b>	<b>-2.3</b>	<b>+0.7</b>	<b>+3.3</b>	<b>+0.06</b>	<b>+7</b>	<b>+1.32</b>	<b>+1.16</b>	<b>+1.08</b>
Acc	70%	68%	67%	69%	59%	73%	60%	73%	61%	61%	57%
Perc	11	12	88	81	35	24	33	93	99	87	66

AJC F615 SV  
**SIRE: NXON219 AJC N219 SV**  
 AJC H132 #  
 AJC L172 SV  
**DAM: NXOQ10 AJC Q10 SV**  
 AJC N185 #

**Selection Indexes**

\$A	\$A-L
\$249	8
\$432	4

Traits Observed: BWT, 200WT, 400WT, 600WT, SC, Genomics

**Purchaser:** .....  
 \$ .....

**Lot 46** **AJC T1011 PV** **NXO22T1011**

Date of Birth: 11/09/2022 Register: APR Mating Type: Natural AMFU,CAFU,DDFU,NHFU

**Mid April 2024 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
<b>EBV</b>	<b>+0.6</b>	<b>+3.2</b>	<b>-6.3</b>	<b>+2.1</b>	<b>+47</b>	<b>+91</b>	<b>+108</b>	<b>+73</b>	<b>+21</b>	<b>+1.9</b>	<b>-8.1</b>
Acc	64%	53%	81%	82%	83%	80%	81%	77%	73%	78%	38%
Perc	65	50	22	14	67	54	74	88	23	58	3
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
<b>EBV</b>	<b>+64</b>	<b>+6.2</b>	<b>+2.0</b>	<b>+0.1</b>	<b>-0.2</b>	<b>+4.4</b>	<b>+0.52</b>	<b>+20</b>	<b>+1.08</b>	<b>+1.10</b>	<b>+1.02</b>
Acc	69%	67%	67%	69%	58%	73%	60%	74%	60%	60%	57%
Perc	60	51	11	41	84	9	80	53	89	78	46

AJC J45 SV  
**SIRE: NXOR93 AJC R93 PV**  
 AJC P130 SV  
 AJC N255 SV  
**DAM: NXOQ76 AJC Q76 SV**  
 AJC N435 #

**Selection Indexes**

\$A	\$A-L
\$246	10
\$384	23

Traits Observed: BWT, 400WT, 600WT, SC, Genomics

**Purchaser:** .....  
 \$ .....

**Lot 47** **AJC T408 PV** **NXO22T408**

Date of Birth: 21/07/2022 Register: APR Mating Type: Natural AMFU,CAFU,DDFU,NHFU

**Mid April 2024 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
<b>EBV</b>	<b>+5.2</b>	<b>+4.3</b>	<b>-5.5</b>	<b>+2.9</b>	<b>+54</b>	<b>+99</b>	<b>+139</b>	<b>+117</b>	<b>+21</b>	<b>+4.4</b>	<b>-7.9</b>
Acc	63%	53%	81%	81%	82%	80%	80%	77%	73%	77%	38%
Perc	24	37	32	26	36	30	14	27	20	4	3
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
<b>EBV</b>	<b>+81</b>	<b>+2.5</b>	<b>-0.5</b>	<b>-2.5</b>	<b>-0.8</b>	<b>+5.3</b>	<b>+0.36</b>	<b>+5</b>	<b>+1.18</b>	<b>+1.08</b>	<b>+1.20</b>
Acc	69%	67%	67%	68%	57%	72%	59%	73%	63%	63%	60%
Perc	15	89	58	84	97	3	66	96	96	74	91

AJC N162 SV  
**SIRE: NXOR532 AJC R532 SV**  
 AJC M1007 #  
 LAWSONS LINKEDIN L483 SV  
**DAM: NXOP116 AJC P116 SV**  
 AJC M398 #

**Selection Indexes**

\$A	\$A-L
\$234	18
\$414	8

Traits Observed: BWT, 200WT, 400WT, 600WT, SC, Genomics

**Purchaser:** .....  
 \$ .....

**Lot 48** **AJC T1158 PV** **NXO22T1158**

Date of Birth: 18/10/2022 Register: APR Mating Type: Natural AMFU,CAFU,DDF,NHFU

**Mid April 2024 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
<b>EBV</b>	<b>+2.2</b>	<b>+2.7</b>	<b>-4.4</b>	<b>+4.6</b>	<b>+53</b>	<b>+96</b>	<b>+129</b>	<b>+96</b>	<b>+23</b>	<b>+3.7</b>	<b>-5.3</b>
Acc	65%	55%	82%	83%	83%	81%	82%	79%	75%	79%	39%
Perc	51	55	50	64	39	39	29	60	10	9	33
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
<b>EBV</b>	<b>+64</b>	<b>+11.3</b>	<b>-1.7</b>	<b>-1.1</b>	<b>+0.8</b>	<b>+2.9</b>	<b>+0.24</b>	<b>+10</b>	<b>+1.08</b>	<b>+0.96</b>	<b>+0.82</b>
Acc	71%	69%	69%	70%	59%	74%	62%	75%	54%	56%	51%
Perc	61	8	82	63	29	32	53	87	89	46	5

AJC N219 SV  
**SIRE: NXOR542 AJC R542 SV**  
 AJC N435 #  
 AJC K137 SV  
**DAM: NXOQ254 AJC Q254 SV**  
 AJC M882 #

**Selection Indexes**

\$A	\$A-L
\$237	16
\$385	23

Traits Observed: 200WT, 400WT, 600WT, SC, Genomics

**Purchaser:** .....  
 \$ .....

**Lot 49** **AJC T1171 SV** **NXO22T1171**

Date of Birth: 28/10/2022 Register: APR Mating Type: Natural AMF2%,CAFU,DDFU,NHFU

**Mid April 2024 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
<b>EBV</b>	<b>+2.3</b>	<b>+5.3</b>	<b>-8.9</b>	<b>+3.2</b>	<b>+65</b>	<b>+117</b>	<b>+147</b>	<b>+121</b>	<b>+12</b>	<b>+1.2</b>	<b>-6.0</b>
Acc	67%	57%	83%	83%	84%	82%	83%	80%	76%	80%	42%
Perc	50	26	4	32	5	4	7	22	86	82	20
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
<b>EBV</b>	<b>+91</b>	<b>+9.6</b>	<b>-1.2</b>	<b>-0.7</b>	<b>+0.5</b>	<b>+2.7</b>	<b>-0.18</b>	<b>+20</b>	<b>+1.26</b>	<b>+0.96</b>	<b>+1.04</b>
Acc	73%	71%	71%	72%	62%	76%	64%	76%	53%	53%	49%
Perc	4	17	73	56	47	37	13	51	99	46	53

AJC J45 SV  
**SIRE: NXOR93 AJC R93 PV**  
 AJC P130 SV  
 AYRVALE GENETIC G11 PV  
**DAM: NXOM6 AJC M6 #**  
 AJC K460 #

**Selection Indexes**

\$A	\$A-L
\$277	2
\$458	1

Traits Observed: BWT, 200WT, 400WT, 600WT, SC, Genomics

**Purchaser:** .....  
 \$ .....

**Lot 50** **AJC T522 PV** **NXO22T522**

Date of Birth: 26/07/2022 Register: APR Mating Type: Natural AMFU,CAFU,DDFU,NHFU

**Mid April 2024 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
<b>EBV</b>	<b>+2.9</b>	<b>+7.2</b>	<b>-5.8</b>	<b>+4.1</b>	<b>+62</b>	<b>+102</b>	<b>+144</b>	<b>+125</b>	<b>+15</b>	<b>+3.6</b>	<b>-6.6</b>
Acc	65%	54%	82%	82%	83%	81%	81%	78%	74%	79%	39%
Perc	45	11	28	52	9	22	9	18	67	10	12
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
<b>EBV</b>	<b>+82</b>	<b>+1.3</b>	<b>-0.5</b>	<b>+0.4</b>	<b>-0.7</b>	<b>+4.2</b>	<b>+0.51</b>	<b>+17</b>	<b>+1.18</b>	<b>+1.14</b>	<b>+1.10</b>
Acc	70%	68%	68%	69%	58%	73%	60%	74%	57%	57%	56%
Perc	14	95	58	36	96	11	80	65	96	84	71

AJC K102 SV  
**SIRE: NXOP940 AJC P940 SV**  
 AJC K39 #  
 AJC M198 SV  
**DAM: NXOP1158 AJC P1158 SV**  
 AJC L1007 #

**Selection Indexes**

\$A	\$A-L
\$241	13
\$421	6

Traits Observed: BWT, 200WT, 400WT, 600WT, SC, Genomics

**Purchaser:** .....  
 \$ .....

**Lot 51** **AJC T353 PV** **NXO22T353**

Date of Birth: 18/07/2022 Register: APR Mating Type: Natural AMFU,CAFU,DDF,NHFU

**Mid April 2024 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
<b>EBV</b>	<b>+1.3</b>	<b>+8.8</b>	<b>-2.8</b>	<b>+3.7</b>	<b>+59</b>	<b>+105</b>	<b>+129</b>	<b>+125</b>	<b>+16</b>	<b>+4.0</b>	<b>-7.3</b>
Acc	68%	56%	83%	83%	84%	82%	83%	79%	76%	80%	41%
Perc	59	4	75	43	17	15	30	18	62	6	6
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
<b>EBV</b>	<b>+75</b>	<b>+5.4</b>	<b>-3.0</b>	<b>-4.0</b>	<b>+0.5</b>	<b>+4.8</b>	<b>+0.06</b>	<b>+8</b>	<b>+1.32</b>	<b>+1.00</b>	<b>+0.92</b>
Acc	72%	70%	70%	71%	60%	75%	62%	76%	47%	47%	46%
Perc	28	61	95	95	47	6	33	91	99	56	18

AJC P940 SV  
**SIRE: NXOR44 AJC R44 PV**  
 AJC P40 SV  
 AJC J45 SV  
**DAM: NXOQ109 AJC Q109 SV**  
 AJC N727 #

**Selection Indexes**

\$A	\$A-L
\$250	8
\$433	4

Traits Observed: BWT, 200WT, 400WT, 600WT, SC, Genomics

**Purchaser:** .....  
 \$ .....

**Lot 52** **AJC T828 PV** **NXO22T828**

Date of Birth: 19/08/2022 Register: APR Mating Type: Natural AMFU,CAFU,DDFU,NHFU

**Mid April 2024 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
<b>EBV</b>	<b>+5.1</b>	<b>+1.4</b>	<b>-6.5</b>	<b>+4.2</b>	<b>+54</b>	<b>+98</b>	<b>+134</b>	<b>+98</b>	<b>+24</b>	<b>+2.0</b>	<b>-3.8</b>
Acc	64%	54%	81%	82%	82%	80%	81%	77%	73%	78%	38%
Perc	25	68	20	55	35	32	21	56	8	54	69
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
<b>EBV</b>	<b>+75</b>	<b>+7.3</b>	<b>-2.0</b>	<b>-1.4</b>	<b>+1.0</b>	<b>+3.0</b>	<b>-0.05</b>	<b>+15</b>	<b>+1.08</b>	<b>+1.00</b>	<b>+0.86</b>
Acc	69%	68%	68%	69%	58%	73%	60%	74%	59%	59%	56%
Perc	28	38	87	68	20	30	22	74	89	56	8

AJC N219 SV  
**SIRE: NXOR542 AJC R542 SV**  
 AJC N435 #  
 AJC E91 PV  
**DAM: NXOQ35 AJC Q35 SV**  
 AJC N38 #

**Selection Indexes**

\$A	\$A-L
\$236	17
\$382	25

Traits Observed: BWT, 200WT, 400WT, 600WT, SC, Genomics

**Purchaser:** .....  
 \$ .....

**Lot 53** **AJC T14 PV** **NXO22T14**

Date of Birth: 13/06/2022 Register: APR Mating Type: Natural AMFU,CAFU,DDF,NHFU

**Mid April 2024 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
<b>EBV</b>	<b>+5.9</b>	<b>+1.3</b>	<b>-6.2</b>	<b>+4.7</b>	<b>+53</b>	<b>+101</b>	<b>+141</b>	<b>+125</b>	<b>+27</b>	<b>+4.3</b>	<b>-5.2</b>
Acc	64%	54%	81%	82%	83%	81%	81%	77%	74%	78%	39%
Perc	18	69	23	66	40	26	12	18	3	4	35
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
<b>EBV</b>	<b>+77</b>	<b>+7.9</b>	<b>+0.3</b>	<b>-1.2</b>	<b>+0.3</b>	<b>+4.8</b>	<b>+0.76</b>	<b>+19</b>	<b>+1.16</b>	<b>+1.10</b>	<b>+1.20</b>
Acc	70%	68%	68%	69%	58%	73%	60%	73%	59%	59%	57%
Perc	22	31	39	65	60	6	93	57	95	78	91

GATES MENTOR M9 SV  
**SIRE: NXOQ80 AJC Q80 SV**  
 AJC N3 #  
 AJC N219 SV  
**DAM: NXOR362 AJC R362 SV**  
 AJC N27 #

**Selection Indexes**

\$A	\$A-L
<b>\$232</b>	<b>20</b>
<b>\$407</b>	<b>11</b>

Traits Observed: CE, BWT, 200WT, 400WT, 600WT, SC, Genomics

**Purchaser:** .....  
 \$ .....

**Lot 54** **AJC T947 PV** **NXO22T947**

Date of Birth: 02/09/2022 Register: APR Mating Type: Natural AMFU,CAFU,DDFU,NHFU

**Mid April 2024 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
<b>EBV</b>	<b>+7.1</b>	<b>+9.0</b>	<b>-4.6</b>	<b>+3.1</b>	<b>+47</b>	<b>+96</b>	<b>+130</b>	<b>+113</b>	<b>+20</b>	<b>+2.0</b>	<b>-5.1</b>
Acc	67%	57%	82%	82%	83%	81%	82%	79%	75%	79%	44%
Perc	11	3	47	30	70	39	26	32	24	54	37
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
<b>EBV</b>	<b>+76</b>	<b>+8.7</b>	<b>-1.8</b>	<b>-4.6</b>	<b>+0.6</b>	<b>+4.9</b>	<b>+0.26</b>	<b>+11</b>	<b>+0.90</b>	<b>+0.88</b>	<b>+1.08</b>
Acc	72%	71%	70%	72%	62%	76%	64%	75%	59%	59%	57%
Perc	26	24	84	97	41	5	56	86	62	27	66

RENNYLEA H708 PV  
**SIRE: NXOQ736 AJC Q736 SV**  
 AJC K121 #  
 AJC M807 SV  
**DAM: NXOR766 AJC R766 PV**  
 AJC P24 SV

**Selection Indexes**

\$A	\$A-L
<b>\$227</b>	<b>24</b>
<b>\$402</b>	<b>13</b>

Traits Observed: CE, BWT, 200WT, 600WT, SC, Genomics

**Purchaser:** .....  
 \$ .....

**Lot 55** **AJC T52 PV** **NXO22T52**

Date of Birth: 22/06/2022 Register: APR Mating Type: Natural AMF,CAF,DDF,NHF

**Mid April 2024 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
<b>EBV</b>	<b>+8.3</b>	<b>+6.0</b>	<b>-6.8</b>	<b>+2.8</b>	<b>+55</b>	<b>+100</b>	<b>+124</b>	<b>+105</b>	<b>+15</b>	<b>+0.7</b>	<b>-1.8</b>
Acc	67%	57%	82%	82%	83%	81%	82%	78%	75%	79%	43%
Perc	5	20	17	24	29	28	38	45	66	92	95
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
<b>EBV</b>	<b>+71</b>	<b>+8.3</b>	<b>-2.4</b>	<b>-7.7</b>	<b>+0.9</b>	<b>+4.9</b>	<b>-0.04</b>	<b>+14</b>	<b>+1.12</b>	<b>+0.80</b>	<b>+1.00</b>
Acc	71%	70%	70%	71%	61%	75%	63%	75%	57%	59%	56%
Perc	38	27	91	99	24	5	23	78	92	13	40

RENNYLEA H708 PV  
**SIRE: NXOQ736 AJC Q736 SV**  
 AJC K121 #  
 AJC P115 SV  
**DAM: NXOR721 AJC R721 SV**  
 AJC N42 #

**Selection Indexes**

\$A	\$A-L
<b>\$216</b>	<b>35</b>
<b>\$369</b>	<b>34</b>

Traits Observed: CE, BWT, 200WT, 400WT, 600WT, SC, Genomics

**Purchaser:** .....  
 \$ .....

**Lot 56** **AJC T630 PV** **NXO22T630**

Date of Birth: 03/08/2022 Register: APR Mating Type: AI AMFU,CAFU,DDFU,NHFU

**Mid April 2024 TransTasman Angus Cattle Evaluation**

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
<b>EBV</b>	<b>+9.5</b>	<b>+8.1</b>	<b>-4.8</b>	<b>+1.4</b>	<b>+52</b>	<b>+104</b>	<b>+143</b>	<b>+123</b>	<b>+26</b>	<b>+3.9</b>	<b>-3.3</b>
Acc	67%	57%	83%	82%	83%	81%	82%	78%	74%	80%	43%
Perc	2	6	43	8	47	18	9	20	5	7	79
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
<b>EBV</b>	<b>+78</b>	<b>+6.4</b>	<b>-1.3</b>	<b>-0.1</b>	<b>+0.2</b>	<b>+4.2</b>	<b>+0.40</b>	<b>+6</b>	<b>+0.92</b>	<b>+1.04</b>	<b>+1.04</b>
Acc	71%	71%	70%	72%	62%	75%	63%	77%	67%	67%	64%
Perc	21	49	75	45	66	11	70	95	66	66	53

G A R TWINHEARTS 8418 SV  
**SIRE: VHGP64 CONNAMARA P64 SV**  
 CONNAMARA J8 #  
 AJC L99 PV  
**DAM: NXOR92 AJC R92 PV**  
 AJC P391 SV

**Selection Indexes**

\$A	\$A-L
<b>\$222</b>	<b>29</b>
<b>\$404</b>	<b>12</b>

Traits Observed: GL, CE, BWT, 200WT, 400WT, 600WT, SC, Genomics

**Purchaser:** .....  
 \$ .....

Date of Birth: 23/07/2022

Register: APR

Mating Type: Natural

AMFU,CAFU,DDFU,NHFU

Mid April 2024 TransTasman Angus Cattle Evaluation

TACE	CEDir	CEDtrs	GL	BW	200	400	600	MCW	Milk	SS	DTC
EBV	+5.2	+8.7	-7.4	+2.7	+51	+91	+128	+128	+16	+1.8	-4.5
Acc	66%	56%	83%	82%	83%	82%	82%	78%	75%	79%	46%
Perc	24	4	12	22	51	55	30	15	59	62	52

TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBV	+60	+7.4	-0.4	-0.9	+0.1	+3.9	+0.36	+8	+1.16	+1.00	+1.24
Acc	74%	73%	71%	74%	65%	77%	67%	76%	67%	67%	64%
Perc	71	37	55	60	71	15	66	91	95	56	95

AJC F43 <sup>SV</sup>  
**SIRE: NXOL172 AJC L172 <sup>SV</sup>**  
 AJC J432 #

G A R PROPHET <sup>SV</sup>  
**DAM: NXOK345 AJC K345 #**  
 AJC H103 #

Selection Indexes

Traits Observed: BWT, 200WT, 400WT, 600WT, SC, Genomics

\$A		\$A-L	
\$206	48	\$382	24

Purchaser: .....

\$ .....



## THANK YOU

The Cox family and the Speriby North team would like to thank everyone for attending our annual bull sale.

We are extremely grateful and thank all our valued clients for purchasing Speriby North genetics. We look forward to continuing future associations with you.

A special thank you to everyone who has helped in any way in the preparation and running of our sale. We couldn't have done it without you.

# DISCLAIMER AND PRIVACY INFORMATION

## Attention Buyer

Animal details included in this catalogue, including but not limited to pedigree, DNA information, Estimated Breeding Values (EBVs) and Index values, are based on information provided by the breeder or owner of the animal. Whilst all reasonable care has been taken to ensure that the information provided in this catalogue was correct at the time of publication, Angus Australia will assume no responsibility for the accuracy or completeness of the information, nor for the outcome (including consequential loss) of any action taken based on this information.

## Parent Verification Suffixes

The animals listed within this catalogue including its pedigree, are displaying a Parent Verification Suffix which indicates the DNA parent verification status that has been conducted on the animal. The Parent Verification Suffixes that will appear at the end of each animal's name.

The suffix displayed at the end of each animal's name indicates the DNA parentage verification that has been conducted by Angus Australia.

PV : both parents have been verified by DNA.

SV : the sire has been verified by DNA.

DV : the dam has been verified by DNA.

# : DNA verification has not been conducted.

E : DNA verification has identified that the sire and/or dam may possibly be incorrect, but this cannot be confirmed conclusively.

## Privacy Information

In order for Angus Australia to process the transfer of a registered animal in this catalogue, the vendor will need to provide certain information to Angus Australia and the buyer consents to the collection and disclosure of that information by Angus Australia in certain circumstances. If the buyer does not wish for his or her information to be stored and disclosed by Angus Australia, the buyer must complete the form included below and forward it to Angus Australia. If the form is not completed, the buyer will be taken to have consented to the disclosure of such information.

.....

## BUYERS OPTION TO OPT OUT OF DISCLOSING PERSONAL INFORMATION TO ANGUS AUSTRALIA

If you do not complete this form, you will be taken to have consented to Angus Australia using your name, address and phone number for the purposes of effecting a change of registration of the animal(s) that you have purchased, maintaining its database and disclosing that information to its members on its website.

I, the buyer of animals with the following idents.....

.....

from member.....(name) do not consent to Angus Australia using my name, address and phone number for the purposes of effecting a change of registration of the animals I have mentioned above that I have purchased, maintaining its database and disclosing that information to its members on its website.

Name: ..... Signature: .....

Date: .....

Please forward this completed consent form to Angus Australia, 86 Glen Innes Road, Armidale NSW 2350.

.....



If you have any questions or queries regarding any of the above, please contact Angus Australia on (02) 6773 4600 or email [office@angusaustralia.com.au](mailto:office@angusaustralia.com.au)

# Specialist agricultural insurer Achmea Australia supports the Speriby North Angus Bull Sale

Connect with our local New England Farm Insurance Specialist Robert Butler at the sale.

1800 724 214  
[achmea.com.au](http://achmea.com.au)



Farm Insurance

**Robert Butler**  
Farm Insurance Specialist  
servicing New England

Insurance issued by Achmea Schadeverzekeringen N.V. (Achmea) ABN 86 158 237 702 AFSL 433984. The information in this advertisement or article is general advice only and does not take into account your individual objectives, financial situation or needs (your personal circumstances). Before using this information to decide whether to purchase the insurance policy, you should consider your personal circumstances and the relevant Policy Wording available from the 'Downloads' section of our website [www.achmea.com.au](http://www.achmea.com.au)



**PERSONALISED SERVICE LEADING BY RESULTS**

**Est. 1958**

»Regular Cattle Sales

»Regular Prime Lamb & Sheep Sales

»Stud Stock Sales

»Selling to Feedlots

»Consignment of Stock

»Market Appraisals

»Auctions Plus

»Rural Property Sales

**Colin Say & Co Pty Ltd.**

Licensed Auctioneers - Stock, Station & Real Estate Agents

118 Wentworth Street Glen Innes NSW 2370

(02) 6732 1266

[www.colinsay.com.au](http://www.colinsay.com.au)


[office@colinsay.com.au](mailto:office@colinsay.com.au)

**Nathan Purvis 0427 324 078**

**Ben McMahon 0474 591 318**


**Shad Bailey 0458 322 283**

**Josh Barber 0447 089 421**



**rma network.**

**Accredited Member**



## HOME OF OUTSTANDING GENETICS


27 sale bulls are in the top 10% for IMF% per the Mid April 2024 TransTasman Angus Cattle Evaluation.

Home grown sires published in the Angus Australia Sire Summary Autumn 2024 trait and selection index leaders:

- AJC Q736 - IMF% leader
- AJC Q654 - leader for Calving ease Daughters, Angus Breeding (\$A) index & Angus Breeding Low Feed Cost (\$A-L) index
- AJC Q80 - leader for Eye Muscle Area, Angus Breeding (\$A) index & Angus Breeding Low Feed Cost (\$A-L) index

Speriby North steers continue to perform under feedlot conditions. Rangers Valley Feedlot have purchased Speriby North steers for more than 30 years.

### DIRECTIONS:




**PHONE:** 02 6737 3655

**MOBILE:** 0427 373 655

**WEB:** [speribynorth.com.au](http://speribynorth.com.au)

**FOLLOW** [speribynorthangus](#) ON



# Speriby North Weaner Heifers

## FOR SALE IN JUNE ONLY ON

 **AuctionsPlus**

\*Offered in Deck Lots

\*Sire Identified

For more information -

 **Ben Sharpe**  
**Ray White Tenterfield**  
0428 364 487

**Arthur Cox**  
02 6737 3655  
[speribynorth@bigpond.com](mailto:speribynorth@bigpond.com)